



PRICE LIST
EFFECTIVE MAY 1, 2020

Star Price Book Aug 2020 v3



[Griddles](#) • [Charbroilers](#) • [Hot Plates](#)

[Fryers](#) • [Panini/Sandwich Grills](#)

[Contact & Conveyor Toasters](#) • [Pop-Up Toasters](#)

[Countertop Convection Ovens](#) • [Conveyor Ovens](#)

[Tortilla Warmers](#) • [Drawer Warmers](#)

[Proofers](#) • [Vertical Broilers](#)

[Roller Grills](#) • [Hot Dog Equipment](#)

[Waffle Makers](#) • [Popcorn Equipment](#)

[Pumps](#) • [Warmers](#) • [Merchandisers](#) • [Displays](#)

[Refrigerated Countertop Server](#)

Star

265 Hobson Street
Smithville, Tennessee 37166

CUSTOMER SERVICE

phone: 800-264-7827 option 1
email: orders@star-mfg.com

TECHNICAL SERVICE

phone: 800-264-7827 option 2
email: techservice@partstown.com

star-mfg.com



Table of Contents

Griddles	1-5
Charbroilers	6-9
Hot Plates	10-11
Fryers	12
Panini Sandwich Grills	13-18
Toasters	20-27
Contact Toasters	21-22
Conveyor Toasters	23-25
Pop-up Toasters	26
Countertop Convection Ovens	28
Conveyor Ovens	29-30
Tortilla Warmers	31
Drawer Warmers	32
Smokers	33
Proofers	33
Vertical Broilers	34
Hot Dog Equipment	35-39
Waffle Makers	40
Popcorn Equipment	41
Pumps & Warmers	42-43
Merchandisers & Displays	44
Refrigerated Countertop Server	45
Map & M.R.I.C.P. Policy	46-47
Warranty	48
General Information	49



QUICK SHIP 2020

Order by
12:00 PM CST
for **SAME-DAY SHIPPING**



Star recognizes the need for short lead times in today's fast paced commercial kitchen industry

The Star Quick Ship program answers this need with a SAME DAY shipment guarantee on a variety of dealer showroom products.

TOASTERS

QCS1-350	QCS1 Conveyor Toaster, 1.5" Opening, 120V (see page 23)
QCS2-600H	QCS2 Conveyor Toaster, 3" Opening, 208V (see page 23)
TP409	Toastmaster 4-Slot Pop-up Toaster, 120V (see page 26)

SANDWICH GRILLS

PST14-120V	Pro-Max 14"x14" Smooth Aluminium, 120 V (see page 16)
GX10IG-120V	Grill Express 10"x10" Grooved Iron, 120V (see page 17)
GX10IS-120V	Grill Express 10"x10" Smooth Iron, 120V (see page 17)
GX14IG-120V	Grill Express 14"x10" Grooved Iron, 120V (see page 17)
GX14IS-120V	Grill Express 14"x10" Smooth Iron, 120V (see page 17)
GX20IG-240V	Grill Express 20"x10" Grooved Iron, 208/240V (see page 17)

GRIDDLES

824TA	Ultra-Max 24" Snap Action, 1" Plate, 60K BTU, NAT (see pg. 3)
836TA	Ultra-Max 36" Snap Action, 1" Plate, 90K BTU, NAT (see pg. 3)
848TA	Ultra-Max 48" Snap Action, 1" Plate, 120K BTU, NAT (see pg. 3)
624TF	Star-Max 24" Thermostatic, 1" Plate, 56.6K BTU, NAT (see pg. 4)
636TF	Star-Max 36" Thermostatic, 1" Plate, 84.9K BTU, NAT (see pg. 4)
648TF	Star-Max 48" Thermostatic, 1" Plate, 113.2K BTU, NAT (see pg. 4)
624MF	Star-Max 24" Manual, 1" Plate, 56.6K BTU, NAT (see pg. 4)
636MF	Star-Max 36" Manual, 1" Plate, 84.9K BTU, NAT (see pg. 4)
648MF	Star-Max 48" Manual, 1" Plate, 113.2K BTU, NAT (see pg. 4)
524TGF	Star-Max 24" Snap Action Electric, 208/240V (see pg. 4)
536TGF	Star-Max 36" Snap Action Electric, 208/240V (see pg. 4)

FRYERS

301HLF	15lb Single Pot, Twin Basket, 208/240V, 5300W (see pg. 12)
530TF	30lb Twin Pot, Single Basket, 208/240V, 11,500W (see pg. 12)

CHARBROILERS

8124RCBB	Ultra-Max 24" Radiant, 80K BTU, NAT Gas (see page 8)
8136RCBB	Ultra-Max 36" Radiant, 120K BTU, NAT Gas (see page 8)
6124RCBF	Star-Max 24" Radiant, 80K BTU, NAT Gas (see page 9)
6136RCBF	Star-Max 36" Radiant, 120K BTU, NAT Gas (see page 9)

HOT PLATES

802HA	Ultra-Max 2-Burner Gas, 60K BTU (see page 10)
804HA	Ultra-Max 4-Burner Gas, 120K BTU (see page 10)
602HF	Star-Max 2-Burner Gas, 50K BTU (see page 10)
604HF	Star-Max 4-Burner Gas, 100K BTU (see page 10)
502FF	Star-Max 2-Burner Solid-Top, Electric, 208/240 (see pg. 11)

COUNTERTOP CONVECTION OVENS

CCOH-3	(3) 1/2-size pans, 120V, 1440W (see page 28)
CCOH-4	(4) 1/2-size pans, 208/240V, 2380/2830W (see page 28)
CCOF-4	(4) FULL-size pans, 208/240V, 4900/6530W (see page 28)
CCOQ-3	(3) 1/4-size pans, 120V, 1440W (see page 28)

HOT DOG EQUIPMENT

174CBA	Broil-O-Dog, Cradle, 18 Dogs, 12 Buns (see page 39)
175CBA	Broil-O-Dog, Cradle, 36 Dogs, 32 Buns (see page 39)
35SSA	Hot Dog Steamer, 170 Dogs, 18 Buns (see page 39)
35SSC	Hot Dog Steamer, 130 Dogs, 30-40 Buns (see page 39)
70SSA	Hot Dog Steamer, 230 Dogs, 36 Buns (see page 39)

FOOD WARMERS

4RW	4qt. Round Warmer, 120V, 600W
4RW-P	4qt. Round Warmer with Pump, 120V, 600W

Quick Ship Program

* Purchase Order must have "Quick Ship" clearly marked and emailed to orders@star-mfg.com by 12PM CST.

* The program is limited to specific voltages & gas types.

* Account must be in proper credit standing.

* Orders requiring Buying Group credit approvals may be delayed, and not subject to invoice credit if not the fault of Star-Toastmaster-Wells.

* Star will designate the carrier for shipments. Customer designated carriers cannot guarantee timely pick up.

* This program is intended for the quick shipping of less than 3 pieces of one product and limited to 10 total pieces of quick ship products.

* Units required for elevation over 2,000 feet are excluded from the program.

* This program may be canceled or changed at anytime.

STAR is turning **100** in **2021**



**WHO HAS THE
OLDEST PIECE OF
STAR EQUIPMENT
STILL IN USE?**

We've launched a contest to find out...

Enter to win
\$1,921

US DOLLARS

+

**JAN 2021 TRIP
to NASHVILLE
& TOUR of the
STAR PLANT**

\$1,921 + TRIP prize to
SUBMITTING DEALER

\$1,921 + TRIP prize to
UNIT OPERATOR

TRIP prize to associated
SALES REP

**FOR FULL CONTEST RULES, GO TO
STAR-MFG.COM/100YEARS**



ENTER TODAY

**VISIT:
STAR-MFG.COM/100YEARS**

DEADLINE
for submissions
10/31/2020





We understand the necessity of having your equipment performing properly. Backed by guaranteed response times, no limiting hours for service, additional warranties and more, **Service First™** offers the most comprehensive service program in the foodservice industry and will ensure your equipment is back in operation immediately.


Key features of Service First™

- 6 hour response by a Star **Service First™** Technician.
- Guaranteed locally stocked parts and van kits at our **Service First™** Agency.
- Service is provided 24 hours a day, 7 days a week at no additional cost.
- 1 year warranty on all Star-Wells-Lang **Service First™** installed parts.
- One no-cost performance check prior to warranty expiration.

Stay at Ease

Service First™ benefits will continue after warranty expires provided you continue to use our authorized **Service First™** agency. Benefits are:

- 6 hour response by a Star **Service First™** Technician.
- Guaranteed locally stocked parts and van kits at our **Service First™** Agency.
- 1 year warranty on all Star **Service First™** installed parts.

Equipment Category	 SERVICE FIRST MODEL	listed in price book
Griddles	Ultra-Max Gas Griddle: all 824, 836, 848, 860, 872 models Ultra-Max Elec. Griddle: all 724, 736, 748, 760, 772 models	pg. 3 pg. 3
Charbroilers	Ultra-Max Radiant Charbroiler: 8124RCBB, 8136RCBB, 8148RCBB, 8160RCBB, 8172RCBB Ultra-Max Lava Rock Charbroiler: 8024CBB, 8036CBB, 8048CBB, 8060CBB, 8072CBB	pg. 8 pg. 8
Hot Plates	Ultra-Max Hot Plate: 802HA, 804HA, 806HA, 808HA, 804HA-SU	pg. 10
Conveyor Ovens	Ultra-Max Conveyor Oven: UM1854, UM1833A, UM1850A Quartz Heater Conveyor Oven: 210HX, 214HX, 314HX	pg. 29 pg. 30
Toasters	Contact Toaster: SCT4000E Conveyor Toaster: DT14	pg. 21 pg. 25
Sandwich/Panini 2-Sided Grills	Pro-Max Sandwich/Panini Grill: all models beginning with "P"	pg. 16

At Star we believe purchasing our equipment means as much about the function and durability as the team that will continue to stand behind it and service it for years to come. Service First™ is a program created by Star, that ties together you, our customer, and the factory with a select group of industry service professionals. Service First™ providers are committed to responding to Star customer issues first, having parts available and on hand, and ensuring problems are resolved the first time. Select group of Service First™ Agencies are technically trained on Star equipment and have committed to a full complement of stocked parts. This means issues are addressed correctly the first time with as little down time as possible. An unique enhancement of the Service First™ program are customers continuing to use the Service First™ Agency will enjoy many of the same program features and benefits after warranty expires.



PREPAID FREIGHT

on orders of
\$10,000
or more total net*

*** Prepaid Freight offer will ONLY apply if:**

1. Freight ships from Star warehouse location.
2. Star chooses freight carrier.
3. Star must pre-pay and add freight to invoice.
4. Wells Ventless models are not included in \$10,000 prepaid freight offer.

Additional Charges

Lift Gate Delivery = \$125
All other requests, call for pricing.

Freight Rates for orders under \$10,000:

All UPS Ground shipments on Star account will be subjected to a shipping and handling fee.
We encourage customers to ship on their UPS Ground account to avoid charges.

Freight Damage:

DO NOT SIGN for equipment until you have thoroughly inspected it for obvious or concealed freight damage.
Once signed for, the customer takes full responsibility for the shipment.

Freight Classification

The bulk of Star commercial equipment is rated 85.

Special configurations or non-standard crating may add to the classification.

Rate classifications are subject to change without notice.

Countertop Cooking Equipment



GRIDDLES • CHARBROILERS • HOT PLATES • FRYERS

Star and Toastmaster griddles, charbroilers, hot plates, and fryers are designed to stand up to the demands of constant use, high-volume operations, and repeated heat-up and cool-down cycles.

Star Ultra-Max Griddles

Star Star-Max Griddles

Toastmaster Griddles

Star Ultra-Max Hot Plates

Star Star-Max Hot Plates

Toastmaster Hot Plates

Star Ultra-Max Charbroilers

Star Star-Max Charbroilers

Toastmaster Charbroilers

Star Star-Max Fryers



HEAVY-DUTY GRIDDLE BUYING GUIDE



Star Ultra-Max Griddles

Plate thickness	1"	Thermostat (gas)	Mechanical Snap-Action
Plate depth	24"	Thermostat (electric)	Electric Snap-Action
Plate width	24-72"	Set temperature	+/-15°F
BTU/foot (gas)	30,000-40,000	Chrome option	Yes
kW/foot (elec)	4.35		
Embedded	Yes		



Star Star-Max Griddles

Plate thickness	1"	Thermostat	Modulating
Plate depth	20 1/2"	Thermostat (electric)	Electric Snap-Action
Plate width	15-48"	Set temperature	+/-30°F
BTU/foot (gas)	28,300	Chrome option	Yes
kW/foot (elec)	3.0 (208V) 4.0 (240V)		
Embedded	Yes		



Toastmaster Griddles



Plate thickness	3/4"	Thermostat	Modulating
Plate depth	20 1/2"	Set temperature	+/-40°F
Plate width	24-48"	Chrome option	No
BTU/foot (gas)	20,000		
kW/foot (elec)	3.0 (208V) 4.0 (240V)		
Embedded	No		

GRIDDLE FEATURES GUIDE

1" VS. 3/4" THICK PLATES

Griddle plate thickness helps drive surface temperature, performance, and consistency. 1" thick griddle plates will retain more heat for faster recovery, and allow thermostat probes to be mounted deep within the griddle plate resulting in improved performance. 3/4" griddle plates have bottom-mounted temperature probes only


PLATE DEPTH

Deeper griddle plates offer more cooking area and usable space. Balance your specific production needs with size constraints in the kitchen. Different depths available on select model families

CHROME SURFACE

In addition to their exceptional mirror finish, chrome plates don't require seasoning with oil, clean up faster, reduce kitchen heat load, and nearly eliminate flavor transfer.

GRIDDLE THERMOSTAT GUIDE




MECHANICAL SNAP-ACTION THERMOSTAT

MECHANICAL controls cycle the griddle burner completely ON-or-OFF as demanded by surface temperature changes. Controls are heat, water and grease resistant, with no power required. Temperature control ranges from 150-550°F for embedded probes with a surface temperature control $\pm 15^\circ\text{F}$ to set point



ELECTRIC SNAP-ACTION THERMOSTAT

Electric powered controls cycle the burner completely ON-or-OFF as demanded by surface temperature changes. Temperature control ranges from 150-450°F for embedded probes with a surface temperature control $\pm 15^\circ\text{F}$ to set point



MODULATING THERMOSTAT

MECHANICAL diaphragm and probe controls the burner. Controls are heat, water and grease resistant, and require no power. Temperature control ranges from 150-450°F for embedded probes with a surface temperature control $\pm 30^\circ\text{F}$ to set point, $\pm 40^\circ\text{F}$ for bottom mounted



EMBEDDED THERMOSTAT

Embedded thermostat reacts more quickly to changes on the cooking surface providing better performance than probes on the bottom of the plate

STAR ULTRA-MAX GRIDDLES



824MA




760TA

STAR ULTRA-MAX GAS MANUAL & EMBEDDED SNAP-ACTION GRIDDLES



Series No.	MANUAL	MECHANICAL Snap-Action Thermostat		BTU	Plate Depth [in.]	Width [in.]	Unit Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
	Griddle Type: MA Polished Steel Plate	Griddle Type: TA Polished Steel Plate	Griddle Type: TCHSA CHROME Plate							
824	\$3,980	\$5,256	\$9,487	60,000	24	24	32.38	18.00	300	85
836	\$5,421	\$7,034	\$13,369	90,000	24	36	32.38	18.00	435	85
848	\$6,921	\$8,766	\$17,139	120,000	24	48	32.38	18.00	520	85
860	\$8,575	\$11,063	\$21,082	150,000	24	60	32.38	18.00	656	85
872	\$10,399	\$14,460	\$25,869	180,000	24	72	32.38	18.00	780	85

All prices F.O.B Smithville, TN Specify Natural Gas or Propane and Elevation requirements when ordering



STAR ULTRA-MAX ELECTRIC EMBEDDED SNAP-ACTION GRIDDLES

ELECTRIC Snap-Action Thermostat

Series No.	Griddle Type: TA Polished Steel Plate	Griddle Type: TCHSA ² CHROME Plate	Watts ¹ 208V or 240V	Plate Depth [in.]	Width [in.]	Unit Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
724	\$5,748	-	8,700	24	24	33.69	18.00	220	85
736	\$7,478	\$13,625	13,050	24	36	33.69	18.00	330	85
748	\$9,771	\$17,893	17,400	24	48	33.69	18.00	440	85
760	\$12,156	\$21,875	21,750	24	60	33.69	18.00	550	85
772	\$15,770	\$27,181	26,100	24	72	33.69	18.00	660	85

1 - Specify 208V or 240V service. All units must be hard-wired at installation for 1-phase or 3-phase service
2 - TCHSA models - chrome only available in 240V for the 760TCHSA & 772TCHSA



ULTRA-MAX LINE 7-INCH PLATE SHELF

Unit Size	Model No.	7" Plate Shelf	Ship Wt. [lb.]	Freight Class
24"	UMSA24	\$234	6	85
36"	UMSA36	\$319	9	85
48"	UMSA48	\$401	12	85
60"	UMSA60	\$549	13	85
72"	UMSA72	\$639	16	85

All prices F.O.B Smithville, TN

HEAVY-DUTY EQUIP. STANDS W/ CASTERS

Model No.	Price F.O.B Smithville, TN	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
STAND/C-24	\$1,575	24.00	30.00	24.00	51	85
STAND/C-36	\$1,764	36.00	30.00	24.00	68	85
STAND/C-48	\$2,072	48.00	30.00	24.00	88	85
STAND/C-60	\$2,422	60.00	30.00	24.00	105	85
STAND/C-72	\$2,865	72.00	30.00	24.00	122	85



Service First™ offers the most comprehensive service program in the foodservice industry and will ensure your equipment is back in operation immediately



Order by 12:00 PM CST for SAME DAY SHIPPING see Quick Ship page at front of price book

STAR-MAX GRIDDLES



STAR-MAX MANUAL & EMBEDDED THERMOSTATIC GAS GRIDDLES

	MANUAL	EMBEDDED Modulating Thermostat		EMBEDDED Electric Snap-Action Thermostat w/ Pilot Safety	
Series No.	Griddle Type: MF Polished Steel Plate	Griddle Type: TF Polished Steel Plate	Griddle Type: TCHSF CHROME Plate	Griddle Type: TSPF Polished Steel Plate	BTU ¹
615	\$1,736	\$2,314	-	-	28,300
624	\$2,051	\$3,315	\$5,964	\$4,160	56,600
636	\$2,579	\$4,229	\$8,201	\$5,255	84,900
648	\$3,481	\$5,488	\$10,784	\$6,692	113,200
All prices F.O.B Smithville, TN		1 - All units ship for Natural Gas service. Propane conversion kits included			



STAR-MAX SNAP-ACTION ELECTRIC GRIDDLES

Series No.	Griddle Type: TGF Polished Steel Plate	Griddle Type: CHSF CHROME Plate	Watts ² 208V/240V
515	\$2,080	-	3,000/4,000
524	\$2,845	\$4,965	6,000/8,000
536	\$3,371	\$6,550	9,000/12,000
548	\$4,708	\$8,416	12,000/16,000
2 - 208/240V service for all models		All units must be hard-wired at installation for 1-phase & 3-phase service	



STAR-MAX SPECIFICATIONS

Series No.	Plate Depth [in.]	Width [in.]	Gas Unit Depth [in.]	Electric Unit Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
615 / 515	20.5	15	29.00	27.88	15.50	126	85
624 / 524	20.5	24	29.00	27.88	15.50	186	85
636 / 536	20.5	36	29.00	27.88	15.50	250	85
648 / 548	20.5	48	29.00	27.88	15.50	350	85



TOASTMASTER GRIDDLES



TMGM36



TOASTMASTER MANUAL & THERMOSTATIC GRIDDLES - GAS & ELECTRIC

Series No.	MANUAL GAS	MODULATING GAS Thermostat		ELECTRIC Griddle w/ SNAP-ACTION Thermostat		Plate Depth [in.]	Width [in.]	Unit Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
	Griddle Type: TMGM Polished Steel Plate	Griddle Type: TMGT Polished Steel Plate	BTU ¹	Griddle Type: TMGE Polished Steel Plate	Watts 208V/240V						
24	\$1,660	\$2,032	40,000	\$1,808	6,000/8,000	20.5	24	27.81	15.50	158	85
36	\$2,057	\$2,731	60,000	\$2,417	9,000/12,000	20.5	36	27.81	15.50	236	85
48	\$2,653	\$3,559	80,000	\$2,931	12,000/16,000	20.5	48	27.81	15.50	315	85

All prices F.O.B Smithville, TN

1 - All gas units ship for Natural Gas service. Propane conversion kits included

2 - All 208/240V units must be hard-wired at installation for 1-phase or 3-phase service

CHARBROILERS BUYING GUIDE



Star **Ultra-Max** Charbroilers

Radiant & Lava Rock

Burner mat'l	Cast iron	Unit width options 24", 36", 48", 60", 72"
Burners/foot	2	
BTU/foot	40,000	
Radiant mat'l	Steel alloy	7" Shelf accessory available for Ultra-Max charbroilers
Grate depth	24"	



UltraMax



Star **Star-Max** Charbroilers

Radiant & Lava Rock

Burner mat'l	Cast iron	Unit width options 15", 24", 36", 48"
Burners/foot	1	
BTU/foot (gas)	40,000	
kW/foot (elec)	3.3	
Radiant mat'l	Stainless steel	
Grate depth	19"	



Toastmaster **Charbroilers**

Radiant & Lava Rock



Burner mat'l	Steel Tube	Unit width options 24", 36", 48"
Burners/foot	1	
BTU/foot	30,000	
Radiant mat'l	Stainless steel	
Grate depth	19"	

CHARBROILERS FEATURES GUIDE

STEEL TUBE BURNER

Tubular steel burners offer excellent and reliable performance at an economical price. Available in Toastmaster charbroilers, models have one (1) burner per 12"



CAST IRON GRATES

All Star and Toastmaster charbroilers come with heavy-duty cast iron grates. Incline or lay flat to optimize your cooking surface



CAST IRON BURNER



Cast Iron burners are ten times heavier & thicker than sheet metal burners, cast iron burners offer performance and durability in the most corrosive kitchen environments.

- One (1) burner per 12" for Star-Max models
- Two (2) burners per 12' for Ultra-Max models

RADIANT STYLE

Charbroiler radiants protect the burners from debris and they ensure a more uniform temperature profile. Star-Max and Toastmaster heavy gage sheet metal radiants can last for years, and the uniquely durable Lang and Ultra-Max steel alloy radiants may last the life of your charbroiler



LAVA ROCK

Lava rocks function as a radiant for the entire burner array and diffuse the heat generated by the burners effectively. Cooking surface temperature profiles can be modified by positioning the rock, and flavor profiles may vary depending on use



Ultra-Max
Radiant
Charbroiler
8136RCBB



STAR ULTRA-MAX CHARBROILERS








8148RCBB



8024CBB

STAR ULTRA-MAX RADIANT & LAVA ROCK GAS CHARBROILERS



RADIANT CHARBROILERS		LAVA ROCK CHARBROILERS		BTU ¹	Grate Depth [in.]	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
 8124RCBB	\$5,358	8024CBB	\$5,626	80,000	24	24	30.63	18.00	260	85
 8136RCBB	\$7,283	8036CBB	\$7,647	120,000	24	36	30.63	18.00	350	85
 8148RCBB	\$9,359	8048CBB	\$9,826	160,000	24	48	30.63	18.00	438	85
 8160RCBB	\$11,695	8060CBB	\$12,279	200,000	24	60	30.63	18.00	543	85
 8172RCBB	\$13,007	8072CBB	\$13,657	240,000	24	72	30.63	18.00	665	85
All prices F.O.B Smithville, TN		1 - Specify Natural Gas or Propane when ordering.								
High elevation construction available at no charge. Specify when ordering.										



SERVICE FIRST MODEL

Service First™ offers the most comprehensive service program in the foodservice industry and will ensure your equipment is back in operation immediately



Order by **12:00 PM CST** for **SAME DAY SHIPPING** see Quick Ship page at front of price book

ULTRA-MAX LINE 7-INCH PLATE SHELF

Unit Size	Model No.	7" Plate Shelf	Ship Wt. [lb.]	Freight Class
24"	UMSA24	\$234	6	85
36"	UMSA36	\$319	9	85
48"	UMSA48	\$401	12	85
60"	UMSA60	\$549	13	85
72"	UMSA72	\$639	16	85
All prices F.O.B Smithville, TN				

HEAVY-DUTY EQUIP. STANDS W/ CASTERS

Model No.	Price F.O.B Smithville, TN	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
STAND/C-24	\$1,575	24.00	30.00	24.00	51	85
STAND/C-36	\$1,764	36.00	30.00	24.00	68	85
STAND/C-48	\$2,072	48.00	30.00	24.00	88	85
STAND/C-60	\$2,422	60.00	30.00	24.00	105	85
STAND/C-72	\$2,865	72.00	30.00	24.00	122	85

STAR-MAX CHARBROILERS



STAR-MAX RADIANT & LAVA ROCK GAS CHARBROILERS

RADIANT CHARBROILERS		LAVA ROCK CHARBROILERS		BTU ¹	Grate [in.]	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
6115RCBF	\$1,879	6015CBF	\$1,972	40,000	21	15	25.75	15.50	121	85
6124RCBF	\$2,148	6024CBF	\$2,255	80,000	21	24	25.75	15.50	186	85
6136RCBF	\$3,009	6036CBF	\$3,158	120,000	21	36	25.75	15.50	290	85
6148RCBF	\$4,153	6048CBF	\$4,361	160,000	21	48	25.75	15.50	350	85
All prices F.O.B Smithville, TN				1 - All units ship for Natural Gas service. Propane conversion kits included						



STAR-MAX RADIANT ELECTRIC CHARBROILERS

Model	Prices F.O.B Smithville, TN	Volts	Watts ²	Grate [in.]	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class	
5124CF	\$4,534	208 240	6,600	21	24	25.63	14.25	129	85	
5136CF	\$6,012	208 240	9,900	21	36	25.63	14.25	186	85	
2 - Specify 208V or 240V				All units must be hard-wired at installation 1-phase or 3-phase service						

TOASTMASTER CHARBROILERS



TOASTMASTER RADIANT & LAVA ROCK GAS CHARBROILERS

RADIANT CHARBROILERS		LAVA ROCK CHARBROILERS		BTU ¹	Grate [in.]	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
TMRC24	\$1,697	TMLC24	\$1,782	60,000	21	24	25.75	15.50	186	85
TMRC36	\$2,334	TMLC36	\$2,450	90,000	21	36	25.75	15.50	290	85
TMRC48	\$2,782	TMLC48	\$3,080	120,000	21	48	25.75	15.50	350	85
All prices F.O.B Smithville, TN				1 - All units ship for Natural Gas service. Propane conversion kits included						



STAR ULTRA-MAX HOT PLATES



804HA-SU



806HA



STAR ULTRA-MAX GAS HOT PLATES

Ultra-Max Hot Plates feature 30,000 BTU cast iron burners and heavy-duty cast iron grates



Model No.	Price F.O.B Smithville, TN	Step-Up: -SU	No. Burners	BTU ¹	Width [in.]	Depth [in.]	Height [in.]	Step-Up Height [in.]	Ship Wt. [lb.]	Freight Class
802HA	\$1,997	-	2	60,000	12	30.63	14.88	-	108	85
804HA	\$3,006	\$3,561	4	120,000	24	30.63	14.88	17.80	194	85
806HA	\$3,961	-	6	180,000	36	30.63	14.88	-	219	85
808HA	\$5,041	-	8	240,000	48	30.63	14.88	-	283	85



1 - Specify Natural Gas or Propane and Elevation requirements when ordering. No extra charge.



SERVICE FIRST MODEL

Service First™ offers the most comprehensive service program in the foodservice industry and will ensure your equipment is back in operation immediately

STAR-MAX HOT PLATES



602HF



602HWF



601SPRF



STAR-MAX GAS HOT PLATES

Star-Max Hot Plates feature 25,000 BTU cast iron burners



Model No.	Price F.O.B Smithville, TN	No. Burners	BTU ¹	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
602HF	\$1,372	2	50,000	12.19	28.88	11.94	75	85
604HF	\$2,181	4	100,000	24.19	28.88	11.94	125	85
606HF	\$3,079	6	150,000	36.19	28.88	11.94	200	85



SIDE-BY-SIDE GAS HOTPLATE

602HWF	\$1,372	6	50,000	24.19	17.00	11.94	75	85
--------	---------	---	--------	-------	-------	-------	----	----

GAS STOCK POT RANGE*

601SPRF	\$1,991	2-RING	110,000	18.13	26.00	25.34	141	85
---------	---------	--------	---------	-------	-------	-------	-----	----

WOK-RING ACCESSORY

HP-WR	\$420	FITS STANDARD AND SIDE-BY-SIDE HOT PLATES					20	85
-------	-------	---	--	--	--	--	----	----

All units ship for natural gas service. Propane conversion kits included

* Stockpot in LP service operates at 90,000 BTU



STAR-MAX HOT PLATES



STAR-MAX ELECTRIC HOT PLATES - SOLID FRENCH TOP



Model No.	Price F.O.B Smithville, TN	No. Burners	Watts ¹ 208/240V	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
501FF	\$1,018	1	1,950/2,600	12.00	17.25	10.28	25	85
502FF	\$1,521	2	3,900/5,200	12.00	28.00	11.68	45	85



1 - All units are built for 208/240 volt, 1-phase service

TOASTMASTER HOT PLATES



TOASTMASTER GAS HOT PLATES



Model No.	Price F.O.B Smithville, TN	No. Burners	BTU ¹	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
TMHP2	\$1,312	2	44,000	12.19	28.88	11.94	75	85
TMHP4	\$1,957	4	88,000	24.19	28.88	11.94	125	85
TMHP6	\$3,015	6	132,000	36.19	28.88	11.94	200	85

1 - All units ship for Natural Gas service. Propane conversion kits included



TOASTMASTER ELECTRIC HOT PLATES - SOLID FRENCH TOP



Model No.	Price F.O.B Smithville, TN	No. Burners	Watts ¹ 208/240V	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
TMHPF	\$1,488	2	3,900/5,200	12.19	28.88	11.94	45	85

1 - All units are built for 208/240 volt, 1-phase service



STAR-MAX FRYERS



STAR-MAX GAS FRYERS



Model No.	Price F.O.B Smithville, TN	Oil Capacity [lb.]	Fries per hour [lb.]	BTU ²	Description	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
615FF	\$3,839	15	28	30,000	UNDER FIRED TWIN BASKETS	12.00	25.13	24.63	74	85
630FF	\$4,723	30	68	70,000	UNDER FIRED FULL BASKETS	24.00	25.13	24.63	140	85
Specify Natural Gas or Propane when ordering					2 - 630FF in LP service operates at 65,000 BTU					



STAR-MAX ELECTRIC FRYERS



Model No.	Price F.O.B Smithville, TN	Oil Capacity [lb.]	Fries per hour [lb.]	Volts ¹	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
SINGLE POT, TWIN BASKETS											
514LL	\$1,557	14	15	120	1,800	5-15P	11.00	21.88	13.25	34	85
301HLF	\$2,213	15	28	208/240	4,130/5,300	6-30P	18.00	20.00	17.00	50	85
515F	\$2,213	15	32	208/240	4,319/5,750	6-30P	12.00	24.00	16.75	47	85
530FF	\$3,787	30	65	208/240	8,460/11,500	Field Wired	24.00	24.00	16.50	80	85
TWIN POT, SINGLE BASKET											
530TF	\$3,869	30	64	208/240	8,638/11,500	Field Wired	24.00	24.00	16.75	80	85



Accessories

Model No.	Price F.O.B Smithville, TN	Description	Ship Wt. [lb.]	Freight Class
514FB	\$99	BASKET for 514LL	4	85
301TBL	\$186	TWIN BASKET (Left Hand) for 301HLF	4	85
301TBR	\$186	TWIN BASKET (Right Hand) for 301HLF	4	85
530TBL	\$236	TWIN BASKET (Left Hand) for 515F, 530TF & 615FF	4	85
530TBR	\$236	TWIN BASKET (Right Hand) for 515F, 530TF & 615FF	4	85
216FBL	\$297	FULL BASKET (Left Hand) for 515F, 530FF, 530TF & 630FF	7	85
216FBR	\$297	FULL BASKET (Right Hand) for 515F, 530FF, 530TF & 630FF	7	85



Panini/Sandwich 2-Sided Grills

GROOVED & SMOOTH OPTIONS
ALUMINUM & CAST IRON PLATENS

The hottest grill in the industry. Star Panini Sandwich grills feature more production per hour than any other grill due to faster heat recovery.

Star Panini Sandwich grills unique “ANYWHERE COOKING TECHNOLOGY” boasts even temperatures across the grill. This innovative feature means consistent, and full-surface heat allowing you to cook anywhere on the grill surface.


Star Pro-Max Panini Sandwich Grills
Star Grill Express Panini Sandwich Grills



PANINI SANDWICH GRILL BUYING GUIDE

PLATENS

ALUMINUM vs. CAST IRON



ALUMINUM and CAST IRON WILL PERFORM DIFFERENTLY

- Aluminum will distribute heat more evenly, but lose heat faster and require more cycling
- Cast Iron requires more power to heat (due to higher density), but can retain temperature better for faster recovery in appropriate applications
- Both materials clean about the same, and though all iron products can rust, simple oiling and seasoning will prevent

CRITERIA THAT FAVOR ALUMINUM

- Warming (tortillas, quesadillas, mild re-therm)
- Heating/Marking Bread products
- Low power available (120V, 1700W maximum)
- Split-Top (Aluminum only)

CRITERIA THAT FAVOR CAST IRON


- Cooking applications (chicken, burgers etc...)
- Hybrid uses (protein breakfasts, quesadilla lunches)
- High power available (208/240V, up to 7200W)
- 28" unit (Cast Iron only)

GROOVED vs. SMOOTH

- A menu decision based on the look/feel of the finished product
- 'Panini' sandwiches are marked with grooves, by definition
- Less surface contact from grooves may increase cook times



GROOVED
for PANINI
sandwiches



SMOOTH

Alternative: Smooth Bottom, Grooved Top – the best of both worlds!

ADDITIONAL FEATURES / OPTIONS

• 3-INCH 'FLAT LANDING' OPENING

for **LARGE SANDWICHES** (on PST models only)

- Perfect contact front-to-back for optimal heating
- Prevents contents from being squeezed out

• HINGE TYPE

Our exclusive Torsion Spring Hinge STAYS PUT at whatever position you leave it, and has been tested to over 4 MILLION cycles, so you can count on it day-after-day, year-after-year!

Counter-Balance Hinge - The Counter-Balance Hinge mechanism is constructed from hardened aluminum

**TORSION
SPRING
HINGE**



**COUNTER
BALANCE
HINGE**



PANINI SANDWICH GRILL BUYING GUIDE

SIZE / OPTIONS


Size	7-in Series	14-in Series	28-in Series
Cooking Surface [in.]	7.5 x 14.2	14.5 x 14.2	28.3 x 14.2
Footprint Dims [in.]	10.38 x 23.30	16.50 x 23.30	34.30 x 23.30
Platens	Single 7" Platen	Single 14" Platens or Dual 7" Platens	Dual 14" Platens

SANDWICH GRILL SIZE SELECTION

- Available counter-space may decide for you!
- Size of the cooked product is most important
- Standard tortillas come in 6"-14" diameters
- Bread/sandwich and protein batch sizes should be considered

SPLIT TOP OPTION

- Flexible - split top option is great for varied menus and high volume applications



- Independent electronic controls and timers for each individual platen with convenient side-bar handles

CONTROL OPTIONS



ANALOG

Dial thermostat, 1-10, for simplicity and operations with limited functional needs



ANALOG with TIMER

For more dynamic menus or busier locations where operators can get distracted



ELECTRONIC

Programmable for dozens of product time and temperature settings
For high-volume operations with varied menus
Easier to train operators, ensuring consistent results

SANDWICH GRILL CLEANING TIPS



Aluminum and Cast Iron surfaces are porous. Carbon and oils can penetrate and discolor the surface while creating unwanted carbon and grease accumulation.

Cleaning your sandwich grill effectively requires soapy water, a brush, and an abrasive pad.

When just soapy water isn't doing the trick, you can use commercial high-temperature grill cleaner. Grill cleaner is effective, especially when dealing with heavy accumulation.

USEFUL FACTS

Cast Iron weighs **3-TIMES** as much as Aluminum

Aluminum transfers heat **5-TIMES** faster than Cast Iron

Platen weight on your food product is **CONSTANT**, regardless of the material you choose, thanks to Star's Torsion Spring Hinge design.

STAR PANINI SANDWICH GRILLS



STAR PRO-MAX PANINI SANDWICH GRILLS with TORSION SPRING HINGE

Series No.	ANALOG Control NO TIMER		ANALOG Control ELECTRONIC TIMER		ELECTRONIC Control and TIMER		
	Type: Aluminum	Type: I Iron	Type: T Aluminum	Type: IT Iron	Type: E Aluminum	Type: IE Iron	Type: D Aluminum Split-Top
SMOOTH PANINI GRILLS							
PST7	\$2,608	\$4,006	-	-	\$3,605	\$5,005	-
PST14	\$2,630	\$4,028	\$3,134	\$4,532	\$3,628	\$5,025	\$6,637
GROOVED PANINI GRILLS							
PGT7	\$2,608	\$4,006	-	-	\$3,605	\$5,005	-
PGT14	\$2,630	\$4,028	\$3,134	\$4,532	\$3,628	\$5,025	\$6,637
GROOVED TOP, SMOOTH BOTTOM PANINI GRILLS							
Series No.	Type: IGT	Type: ITGT	All prices F.O.B Smithville, TN				
PST14	-	\$4,028	-	\$4,532	See bottom of (page 18) for a list of VOLTAGES AVAILABLE per model		
230V available for some models - Add \$83 to list price & specify when ordering							

QUICK SHIP MODEL *120V

QUICK SHIP MODEL Order by **12:00 PM CST** for **SAME DAY SHIPPING** see Quick Ship page at front of price book



STAR PRO-MAX PANINI SANDWICH GRILLS with COUNTER-BALANCE HINGE

Series No.	ANALOG Control NO TIMER	ANALOG Control ELECTRONIC TIMER	ELECTRONIC Control and TIMER
	Type: I - Iron	Type: IT - Iron	Type: IE - Iron
SMOOTH PANINI GRILLS			
PSC28	\$7,640	\$8,396	\$9,135
GROOVED PANINI GRILLS			
PGC28	\$7,640	\$8,396	\$9,135
GROOVED TOP, SMOOTH BOTTOM PANINI GRILLS			
Series No.	Type: IGT	Type: ITGT	Type: IEGT
PSC28	\$7,640	\$8,396	\$9,135
All prices F.O.B Smithville, TN See bottom of (page 18) for a list of VOLTAGES AVAILABLE per model			



STAR PANINI SANDWICH GRILLS



PST14



PGT14D

STAR PRO-MAX PANINI SANDWICH GRILL SPECIFICATIONS

Series Size	Volts ¹	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
7-inch	230* 240	1310 1425	CEE7/7 6-15P	10.38	23.30	26.6 - open 10.0 - closed	55 (alum) 69 (iron)	85
14-inch SINGLE	120 120 (CSA) 230 (alum)* 230 (iron)* 208/240 (alum) 208/240 (iron)	1,800 1,800 (CSA) 1650 3306 1,350/1,800 2,700/3,600	5-15P 5-20P (CSA) CEE7/7 CEE7/7 6-15P 6-20P	16.50	23.30	26.6 - open 10.0 - closed	75 (alum) 109 (iron)	85
14-inch SPLIT-TOP ALUMINUM	120 120 (CSA) 230* 208/240	2,300 2,300 (CSA) 2,112 1,728/2,300	5-20P 5-30P (CSA) CEE7/7 6-15P	16.50	23.30	26.6 - open 10.0 - closed	75 (alum) 109 (iron)	85
28-inch IRON	208/240 208/240 (CSA)	5,400/7,200 5,400/7,200 (CSA)	6-30P 6-50P (CSA)	34.25	23.30	26.6 - open 10.0 - closed	206 (iron)	85

1 - Specify 120V, 208/240V or 230V and Canadian applications when ordering. Not all voltages available on all models.

See bottom of (page 18) for a list of VOLTAGES AVAILABLE per model

230V Options available for some PST/PGT models - SPECIFY 230V when ordering * \$83 additional charge applies for 230V options



GX10IG



GX20IG



STAR GRILL EXPRESS PANINI SANDWICH GRILLS

Series No.	Type: IS Smooth Iron	Type: IG Grooved Iron	Type: IGS Grooved LEFT Smooth RIGHT	Surface [in.]	Volts	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
GX10	\$1,142	\$1,142	-	10x10	120	1,350	5-15P	15.75	19.88	21.4 - open 10.9 - closed	65	85
GX10	-	\$1,225	-	10x10	208/240	1,800	6-15P	15.75	19.88	21.4 - open 10.9 - closed	65	85
GX14	\$1,316	\$1,316	-	14x10	120	1,800	5-15P	19.63	23.30	21.4 - open 10.9 - closed	74	85
GX14	\$1,316	\$1,316	-	14x10	208/240	2,100/2,800	6-15P	19.63	23.30	21.4 - open 10.9 - closed	74	85
GX20	\$2,618	\$2,618	\$2,618	Dual 10x10	208/240	2,700/3,600	6-20P	34.25	23.30	21.4 - open 10.9 - closed	115	85



All prices F.O.B Smithville, TN



information below applies to Pro-Max Sandwich Panini Grills from pgs 16-17

**STAR PRO-MAX PANINI SANDWICH GRILL
VOLTAGES AVAILABLE (listed by model)**

Series No.	Type: Aluminum	Type: I Iron	Type: T Aluminum	Type: IT Iron	Type: E Aluminum	Type: IE Iron	Type: D Alum Split-Top
PST7	120V, 230V*	208/240V, 230V*	-	-	208/240V	208/240V, 230V*	-
PST14	120V, 120(CSA), 208/240V, 230V*		120V, 230V*	208/240V	120V, 208/240V, 230V*	120V, 208/240V	120V, 120(CSA), 208/240V, 230V*
PGT7	120V	120V, 230V*	-	-	120V, 208/240V	208/240V, 230V*	-
PGT14	120V, 120(CSA), 208/240V	120V, 120(CSA), 208/240V	120V, 240V	208/240V, 230V*	120V, 120(CSA), 208/240V, 230V*	120V, 240V, 230V*	120V, 208/240V, 230V*
PSC28	-	208/240V, 208/240(CSA)	-	208/240V, 208/240(CSA)	-	208/240V	-
PGC28	-	208/240V, 208/240(CSA)	-	208/240V, 208/240(CSA)	-	208/240V, 208/240(CSA)	-
Series No.	Type: IGT		Type: ITGT		Type: IEGT		
PST14	-	120V, 120(CSA), 208/240V	-	208/240V	-	208/240V	
PSC28	-	208/240V, 208/240(CSA)	-	208/240V	-	208/240V	

High Performance Toasters

**CONTACT • CONVEYOR • POP-UP • IMPINGEMENT
BATCH PROCESS • CONTINUOUS OPERATION**

Star and Toastmaster toasters are built to stand up to the most rigorous of foodservice operations. Fast, consistent heating that meets your toasting needs on demand with our wide variety of toasting options.


New Star SCT4000 Contact Toaster
Star Ultra-Max Contact Toasters
Star QCS-1 Conveyor Toasters
Star Speciality Conveyor Toasters
Toastmaster Pop-Up Toasters



TOASTERS BUYING GUIDE

HOW WILL YOU USE YOUR TOASTER?

- **BATCH PROCESS** - low volume & irregular
- **CONTINUOUS OPERATION** - high volume & ongoing




WHAT ARE YOU TOASTING?

OPENING SIZE PER PRODUCT		
BREAD 1.5"	BAGELS 1.75"	BUNS 3.0"

Buns, bagels, and breads all have varying heights. Consider the height of your product when selecting the right toaster style

HOW MUCH ARE YOU TOASTING AND HOW LONG?

- **POP-UP** = 2 min
- **STANDARD CONVEYOR** = 30-50 sec
- **HIGH-VOLUME CONVEYOR** = 30-50 sec
- **IMPINGEMENT** = 20-30 sec



GET TO KNOW YOUR TOASTER



IMPINGEMENT IRCS4
High intensity impingement airflow and infrared elements cut toast time up to 50% while quickly and evenly heating food



BAGEL TOASTER
1.75" high inlet for large bagels. Product is heated using top elements only - maximizing power to the cooked surface while optimizing production capacity



ANALOG CONTROLS
Dial adjusts for belt speed, standby mode, and intensity settings for both the top and bottom heating elements



HIGH INLET TOASTER
3" high inlet for large buns, rolls, and sandwiches



ELECTRONIC CONTROLS
Fully programmable electronic controls allow you to program custom menu selections – program conveyor speed, temperature, and toasting time (for each belt). This feature ensures product consistency and quality

STAR CONTACT TOASTERS



new



SCT4000E CONTACT TOASTER

- Unparalleled productivity at 4000 bun-halves/hour
- Program digital controls for hundreds of menu options
- Digital menu upload/download via convenient USB port
- Dual independent non-marking silicone belts
- Easy-to-change independent product height adjustment

STAR SCT4000 VERTICAL CONTACT TOASTER



Model No.	Prices F.O.B. Smithville, TN	Description	CAPACITY BUNS per HOUR	Volts ¹	NEMA Plug	Watts	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
SCT4000E	\$10,498	PROGRAMMABLE CONTROLS VARIABLE SPEED & TEMPERATURE CONTROL, DIGITAL STEPPER MOTOR	4000 buns	208/240 230	6-15P CEE7/7	2,000/2,663 2,446	21.70	9.50	25.70	100	85



Accessories

Model No.	List	Description
SCTBWP	\$1,042	PERFORATED BUTTER WHEEL for SCT
SCTBWS	\$750	SMOOTH BUTTER WHEEL for SCT
SCTSHEET-B	\$500	(10) NON-STICK SHEETS for SCT, BUTTER APPLICATIONS



Service First™ offers the most comprehensive service program in the foodservice industry and will ensure your equipment is back in operation immediately

STAR CONTACT TOASTERS



HCT HORIZONTAL CONTACT TOASTERS

Caramelize/seal buns & bread to extend holding time

Durable Chain or non-marking Silicone belt options

Analog and Electronic Control Options

Knob adjustment for product height

Low-profile design



HCT13M

STAR HCT HORIZONTAL CONTACT TOASTERS



ANALOG Controls			ELECTRONIC Controls		
METAL CHAIN BELT	SILICONE BELT	Prices F.O.B Smithville, TN	METAL CHAIN BELT	SILICONE BELT	Prices F.O.B Smithville, TN
HCT13M	HCT13S	\$4,814	HCTE13M	HCTE13S	\$5,298

SPECIFICATIONS - HCT CONTACT TOASTERS

Model	BUN HALVES per HOUR	Volts ¹	NEMA Plug	Watts	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
HCT13M HCTE13M	1700	208	6-20P	2800	19.25	24.40	17.30	115	85
		240	6-20P	3000					
		230	CEE7/7	2750					
HCT13S HCTE13S		208	6-20P	2550	19.25	24.40	17.30	115	85
	240	6-20P	2650						
	230	CEE7/7	2450						

1 - Add \$108 for 230V Service. 230V is not available on HCTE13M & HCTE13S models.

Accessories

Model No.	List	Description
HCTEBW	\$608	BUTTER WHEEL for HCT
HCTFEED	\$180	FEEDER TRAY for HCT
CTSHEET10	\$172	(10) NON-STICK SHEETS for HCT

STAR CONVEYOR TOASTERS



QCS1 TOASTERS

- Optimal performance in a compact size
- 10" w belt for up to 2-slices of bread, side-by-side
- Analog temperature and belt speed adjustment
- Bagel toaster heats max power on 1-side
- 120V service for use anywhere in your kitchen



QCS1-350

STAR QCS1 COMPACT CONVEYOR TOASTERS

ANALOG CONTROLS ¹		Slices per hour	Description	Volts	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
QCS1-350	\$1,238	350	1.5" Opening COMPACT TOASTER	120	1600	5-15P	14.25	18.88	13.25	44	85
QCS1-500B	\$2,359	500	1.5" Opening BAGEL TOASTER	120	1600	5-15P	14.25	18.88	13.25	44	85

All prices F.O.B Smithville, TN



QCS2 TOASTERS

- 10" wide belt for up to 2-slices of bread, side by side
- Analog controls for belt speed, top and bottom heat
- Analog temperature and belt speed adjustment
- Programmable belt speed and top and bottom heat
- Inlet height options for toast, bagels, and buns



QCS2-600H

STAR QCS2 CONVEYOR TOASTERS

ANALOG CONTROLS		ELECTRONIC CONTROLS		SLICES per HOUR	Description	Volts ¹	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
QCS2-500	\$2,643	QCSe2-500	\$3,189	500	1.5" Opening COMPACT TOASTER	120	1,700	5-15P	14.50	22.38	15.63	64	85
QCS2-600H	\$3,011	QCSe2-600H	\$3,557	600	3.0" Opening BUN TOASTER	208 240*	2,800	6-20P 6-20P	14.50	22.38	15.63	64	85
QCS2-800	\$2,643	-	-	800	1.5" Opening COMPACT TOASTER	208 240	2,800	6-20P 6-20P	14.50	22.38	15.63	64	85
QCS2-1200B	\$3,431	-	-	1200	1.75" Opening BAGEL TOASTER	208	3,200	6-20P	14.50	22.38	15.63	64	85

All prices F.O.B Smithville, TN

1 - Specify 120V, 208V, 240V Service when ordering

* 240V not available on QCSe2-600H model



STAR CONVEYOR TOASTERS



QCS3-1600B



QCS3-950H

QCS3 TOASTERS

- 14" wide belt for up to 3-slices of bread, side by side
- Analog controls for belt speed, top and bottom heat
- Programmable belt speed and top and bottom heat
- Inlet height options for toast, bagels, and buns

STAR QCS3 HIGH VOLUME CONVEYOR TOASTERS



ANALOG CONTROLS		SLICES per HOUR	Description	Volts ¹	Watts ¹	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
QCS3-1000	\$3,380	1000	1.5" Opening COMPACT TOASTER	208	3,200	6-20P	18.50	22.38	15.63	68	85
QCS3-950H	\$3,350	950	3.0" Opening BUN TOASTER	208 240	3,200	6-20P 6-20P	18.50	22.38	15.63	68	85
QCS3-1300	\$4,050	1300	1.5" Opening COMPACT TOASTER	208	3,600	6-30P	18.50	22.38	15.63	68	85
QCS3-1600B	\$3,988	1600	3.0" Opening BAGEL TOASTER	208	3,400	6-30P	18.50	22.38	15.63	68	85
All prices F.O.B Smithville, TN				1 - Specify 208V or 240V							

STAR CONVEYOR TOASTERS



QCS3-1400BH TOASTER

The QCS3-1400BH toaster takes production flexibility to a whole new level with the extra-wide 3" inlet. Normal operation, 3400W of power is applied evenly between top and bottom, like a standard toaster. A toggle switch in the lower left corner converts the unit to 3400W of TOP HEAT ONLY, for maximum bagel and bun productivity.

QCS3-1400BH



RCS2-600 TOASTER

The RCS2-600BN is the name in compact bagel productivity. 10" overall width, it can fit ANYWHERE, and the 5" wide belt can process 600 slices/hour. The 120V utility and compact size make this unit is perfect for satellite locations - next to the drive through, near the register...whatever your needs.



DT14

DT14 TOASTER

The DT14 Double Toaster defines productivity. Two variable speed conveyor belt controls and top/bottom heat controls for perfect color and texture on everything. Product entry opening adjustable from 1" to 2.25" high in top toaster. Bottom entry is 1.75".



STAR SPECIALTY CONVEYOR TOASTERS



ANALOG CONTROLS		SLICES per HOUR	Description	Volts ¹	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class	BELT Width & Capacity
DT14	\$7,102	2000	2.25" Top Opening 1.75" Bottom Opening DOUBLE CONVEYOR TOASTER	208 240	4,800	6-30P	19.50	23.43	24.06	102	85	14" 3 Slices
QCS3-1400BH	\$4,356	1400	3.0" Opening VARIABLE BAGEL & BREAD TOASTER	208 240	3,400	6-30P 6-30P	18.50	22.38	15.63	68	85	14" 3 Slices
RCS2-600BN	\$2,330	600	1.75" Opening COMPACT BAGEL TOASTER	120	1,700	5-15P	9.90	23.25	17.20	58	85	5" 1 Slice
All prices F.O.B Smithville, TN			1 - Specify 120V, 208V, or 240V Service when ordering. All units rated for 50-60Hz cycles.									



Service First™ offers the most comprehensive service program in the foodservice industry and will ensure your equipment is back in operation immediately


TOASTMASTER POP-UP TOASTERS



TP409



BTW09 TOP VIEW



CERAMIC HEATER ELEMENTS



- Unique 1-sided ceramic heater elements
- Variable density filaments for optimal toast uniformity
- Temperature compensation timer for toast consistency EVERY time

⚡ TOASTMASTER POP-UP TOASTERS

Model No.	Price F.O.B. Smithville, TN	Description	SLICES per HOUR	Volts ¹	NEMA Plug	Watts	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
TP409	\$1,472	BREAD TOASTER Four (4) 1-1/8" Width Slots	250	120	5-20P	2,200	11.44	13.38	9.18	21	85
TP424	\$1,472	BREAD TOASTER Four (4) 1-1/8" Width Slots	300	208/240	6-15P	2,000/2,600	11.44	13.38	9.18	21	85
TP430-208C	\$1,542	BREAD TOASTER Four (4) 1-1/8" Width Slots	300	208	6-20P	2,600	11.44	13.38	9.18	21	85
BTW09	\$1,505	BAGEL & BUN TOASTER SINGLE-SIDED HEAT Four (4) 1-5/8" Width Slots	250	120	5-20P	1,800	11.44	13.38	9.18	21	85
BTW24	\$1,505	BAGEL & BUN TOASTER SINGLE-SIDED HEAT Four (4) 1-5/8" Width Slots	250	208/240	6-15P	1,600/1,800	11.44	13.38	9.18	21	85
HT409	\$1,517	HYBRID BREAD & BAGEL TOASTER Two (2) 1-1/8" Width Slots - TWO-SIDED HEAT Two (2) 1-5/8" Width Slots - SINGLE-SIDED HEAT	150 /150	120	5-20P	2,000	11.44	13.38	9.18	21	85
HT424	\$1,517	HYBRID BREAD & BAGEL TOASTER Two (2) 1 1/8" Width Slots - TWO-SIDED HEAT Two (2) 1-5/8" Width Slots - SINGLE-SIDED HEAT	150 /190	208/240	6-15P	1,700/2,200	11.44	13.38	9.18	21	85



* 120V

1 - Specify 120V, 208V or 208/240V Service when ordering



STAR is turning **100** in **2021**



**WHO HAS THE
OLDEST PIECE OF
STAR EQUIPMENT
STILL IN USE?**

We've launched a contest to find out...

Enter to win
\$1,921

US DOLLARS

+

**JAN 2021 TRIP
to NASHVILLE
& TOUR of the
STAR PLANT**

\$1,921 + TRIP prize to
SUBMITTING DEALER

\$1,921 + TRIP prize to
UNIT OPERATOR

TRIP prize to associated
SALES REP

**FOR FULL CONTEST RULES, GO TO
STAR-MFG.COM/100YEARS**



ENTER TODAY

**VISIT:
STAR-MFG.COM/100YEARS**

DEADLINE
for submissions
10/31/2020



HOLMAN & TOASTMASTER COUNTERTOP CONVECTION OVENS



CCOH-3

CCOQ | CCOH | CCOF FEATURES

- 175°F to 500°F temperature range
- Special features like broil & steam injection
- 120 V models for flexibility, use anywhere
- Drop-down double-pane tempered glass door



XO-1N

XO-1N FEATURES

- 125°F to 475°F temperature range
- Holds up to (4) half-size sheet pans
- Left-hinged double-pane door with slam-cam handle



STAR/HOLMAN & TOASTMASTER ELECTRIC COUNTERTOP CONVECTION OVENS

Model No.	Price F.O.B. Smithville, TN	Description	Volts	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class	
CCOQ-3	\$1,597	1/4-SIZE - BAKING PANS (3 RACK SLIDES) <i>limited quantities available</i>	120	1,440	5-15P	19.00	20.40	15.00	51	70	
CCOH-3	\$2,585	1/2-SIZE - BAKING PANS (3 RACK SLIDES), BROILER FEATURE <i>limited quantities available</i>	120	1,440	5-15P	25.00	25.80	22.00	108	70	
CCOH-4	\$3,512	1/2-SIZE - BAKING PANS (4 RACK SLIDES) <i>limited quantities available</i>	208/240	2,380/2,830	6-15P	25.00	28.90	27.80	141	70	
CCOF-4	\$6,043	FULL-SIZE - BAKING PANS (4 RACK SLIDES), STEAM INJECTION FEATURE <i>limited quantities available</i>	208/240	4,900/6,530	6-30P	33.00	33.90	27.80	209	70	
XO-1N	\$3,898	1/2-SIZE - BAKING PANS (4 RACK SLIDES)	120	1,900	5-20P	28.00	27.38	20.00	140	85	



STAR ULTRA-MAX IMPINGEMENT CONVEYOR OVENS



UM1850

IMPINGEMENT CONVEYOR OVENS ARE GREAT FOR

- Toasting sandwiches, baking cookies & cinamon rolls
- Baking smaller blanched or par-baked pizzas
- High-volume, varied menu applications
- High power applications



STAR ULTRA-MAX GAS IMPINGEMENT CONVEYOR OVENS - DIGITAL CONTROLS



Model No.	Price F.O.B Smithville, TN	BTU ¹	Volts ²	NEMA Plug	Chamber [in.]	Belt Width [in.]	Belt Length [in.]	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
UM1854	\$18,422	40,000	120	5-15P	28	18.9	54	60.60	39.30	23.30	352	25
1 - Specify Natural Gas or Propane when ordering												
Gas Conveyor ovens can be stacked two (2) high					FREE START-UP for this product through approved service agent							

STAR ULTRA-MAX ELECTRIC IMPINGEMENT CONVEYOR OVENS - DIGITAL CONTROLS



Model No.	Price F.O.B Smithville, TN	Type: T Silicone Belt	Volts ¹	NEMA Plug	Watts	Chamber [in.]	Belt Width [in.]	Belt Length [in.]	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
UM1833A	\$10,853	-	208 240	6-30P 6-30P	6,400	24	18.9	33	37.20	30.40	20.00	272	85
UM1850A	\$11,447	\$12,438	208 240	6-30P 6-30P	6,400	24	18.9	50	50.00	30.40	20.00	290	85
1 - Specify 208V or 240V Service													
Electric Conveyor ovens can be stacked two (2) high							FREE START-UP for this product through approved service agent						

Accessories

Model No.	Price F.O.B Smithville, TN	Description	Ship Wt. [lb.]	Freight Class
UMENTRY6	\$170	6" CONVEYOR ENTRY SHELF	3	85
UMEXIT8	\$145	8" CONVEYOR EXIT SHELF	4	85
UMEXIT11	\$145	11" CONVEYOR EXIT SHELF	3	85
ES-UM1854	\$2,384	EQUIPMENT STAND UM1854	50	85



Service First™ offers the most comprehensive service program in the foodservice industry and will ensure your equipment is back in operation immediately

STAR QUARTZ HEATER CONVEYOR OVENS



QUARTZ HEATER CONVEYOR OVENS ARE GREAT FOR

- Toasting sandwiches, baking cookies & cinamon rolls
- Baking smaller blanched or par-baked pizzas
- Countertop applications, limited space
- Lower power or low-voltage applications



STAR QUARTZ HEATER ELECTRIC CONVEYOR OVENS - ANALOG CONTROLS

Model No.	Price F.O.B Smithville, TN	Volts ¹	Watts	NEMA Plug	Chamber [in.]	Belt Width [in.]	Belt Length [in.]	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
210HX	\$4,799	120	1,700	5-15P	17	10.0	31	31.00	15.44	14.00	60	85
		208	2,800	6-20P								
		220	2,800	6-20P								
214HX	\$5,206	208	4,000	6-30P	17	14.0	31	31.00	19.44	14.00	66	85
		240		6-30P								
		220		Field Wired								
314HX	\$9,959	208	5,400	6-30P	21.5	14.0	38	38.69	21.25	16.13	115	85
		220										

1 - Specify 120, 208V, 240V or 220V service when ordering. All units rated for 50-60Hz cycles.

Electric Conveyor ovens can be stacked two (2) high



Service First™ offers the most comprehensive service program in the foodservice industry and will ensure your equipment is back in operation immediately

Accessories

Model No.	Price F.O.B Smithville, TN	Description	Ship Wt. [lb.]	Freight Class
SSK-210HX	\$780	210HX STACKING KIT	22	85
SSK-214HX	\$780	214HX STACKING KIT	24	85
SSK-314HX	\$780	314HX STACKING KIT	38	85

STAR TORTILLA WARMER



RTW19EA

ROLLING TORTILLA WARMER

Also great for FLATBREADS and PITAS

- Replaces the need to take up valuable flat grill space to simply warm tortillas, flatbreads, and pitas
- Easy to operate. Straightforward design and digital controls ensure effortless operation and minimal employee training
- Durable non-stick rollers make cleanup easy, resulting in a reduction in labor and chemical costs
- Easily programmable digital controls for unique menu items
- No hood required, place anywhere - counter or wall mount



RTW14EA

6" TORTILLAS
30 per minute
10" TORTILLAS
12 per minute
12" TORTILLAS
10 per minute

RTW19EA

6" TORTILLAS
45 per minute
10" TORTILLAS
24 per minute
12" TORTILLAS
12 per minute

PER MINUTE WITH SOME STACKING



STAR ELECTRIC TORTILLA & FLAT-BREAD WARMER

Model No.	Prices F.O.B Smithville, TN	# of 6-inch TORTILLAS per minute	Volts	NEMA Plug	Watts	Width [in]	Depth [in]	Height [in]	Ship Wt. [lb]	Freight Class
RTW14EA	\$8,105	30 tortillas	120 208/240	5-15P 6-15P	1,787 1351-1,787	19.6	21.3	12	69	85
RTW19EA	\$8,485	45 tortillas	208/240	6-15P	1,905-2,537	24	21.3	12	77	85

Specify Voltage when ordering.

Accessories

Model No.	Prices F.O.B Smithville, TN	Description	Ship Wt. [lb.]	Freight Class
RTW14EA-WMB	\$110	14" WALL MOUNT KIT for RTW14EA	9	85
RTW19EA-WMB	\$122	19" WALL MOUNT KIT for RTW19EA	11	85

TOASTMASTER DRAWER WARMERS



3A81DT09



3C80AT09

TOASTMASTER FREE-STANDING DRAWER WARMERS



Model No.	Price FOB Smithville, TN	# Drawers	# Tstats	Steam Pan Size [in.]	Volts	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
ONE (1) DRAWER WARMER - FREE STANDING												
3A81DT09	\$2,772	1	1	20x12x5	120	400	5-15P	29.19	19.53	15.00	94	85
TWO (2) DRAWER WARMERS - FREE STANDING												
3B84DT09	\$3,771	2	2	20x12x5	120	900	5-15P	23.19	19.53	25.56	140	85
THREE (3) DRAWER WARMERS - FREE STANDING												
3C84DT09	\$5,871	3	3	20x12x5	120	1,350	5-15P	29.19	19.53	29.19	223	85

TOASTMASTER BUILT-IN DRAWER WARMERS



Model No.	Price FOB Smithville, TN	# Drawers	# Tstats	Steam Pan Size [in.]	Volts ¹	Watts	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
ONE (1) DRAWER WARMER - BUILT-IN											
3A20AT09	\$2,262	1	1	16x16x5	120	450	23.06	23.00	12.13	82	85
3A80AT09	\$2,591	1	1	20x12x5	120	400	29.19	19.53	10.88	84	85
3A80AT72	\$2,591	1	1	20x12x5	208/240	400/540	29.19	19.53	10.88	84	85
TWO (2) DRAWER WARMERS - BUILT-IN											
3B20AT09	\$4,366	2	1	16x16x5	120	1000	23.19	23.00	22.75	138	85
3B80AT09	\$4,371	2	1	20x12x5	120	1000	29.19	19.53	21.75	144	85
3B80AT72	\$4,414	2	1	20x12x5	208/240	900/1200	29.19	19.53	21.75	144	85
3B84AT09	\$4,217	2	2	20x12x5	120	900	29.19	19.53	21.75	144	85
3B84AT72	\$4,217	2	2	20x12x5	208/240	850/980	29.19	19.53	21.75	144	85
THREE (3) DRAWER WARMERS - BUILT-IN											
3C80AT09	\$5,722	3	1	20x12x5	120	1350	29.19	19.53	29.18	186	85

1 - Specify 120V or 208/240V Service when ordering. All built in drawer warmers are field wired.

TOASTMASTER HEATER/PROOFERS



HEATER/PROOFERS

Separate heat and humidity controls for precise levels of heat and humidity to accommodate each individual product



9451-HP12CDN

TOASTMASTER HEATER/PROOFERS with CLEAR DOOR



Model No.	Price FOB Smithville, TN	Description	Sheet Pan Capacity Full-size [Half-size]	Watts ¹ 120V	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
9451-HP12CDN	\$4,426	INSULATED HALF-SIZE	11 [22]	1,500	22.81	33.31	31.44	100	85
9451-HP34CDN	\$5,772	INSULATED FULL-SIZE	34 [68]	1,500	22.81	33.88	67.56	140	85
E9451-HP12CDN	\$3,325	UNINSULATED HALF-SIZE	11 [22]	1,500	22.81	33.31	30.31	100	85
E9451-HP34CDN	\$4,329	UNINSULATED FULL-SIZE	34 [68]	1,500	22.81	33.88	66.44	140	85

1 - NEMA 5-20P 6-foot detachable cord & plug are standard



E9451-HP34CDN

STAR-MAX VERTICAL BROILERS



VBG30

VERTICAL BROILERS

- Full rotisserie rod for maximum control of broiling speeds
- Accommodates a variety of meat products and sizes
- Fully adjustable range of temperature for precise cooking performance



STAR-MAX GAS VERTICAL BROILER

Model No.	Price F.O.B Smithville, TN	Description	BTU ¹	Volts ²	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
VBG30	\$3,308	Capacity: 5-45 lb	30,000	120	16.06	25.00	32.00	70	100

1 - Specify Natural Gas or Propane when ordering.


2 - NEMA 5-15P plug standard for 120V applications

STAR-MAX ELECTRIC VERTICAL BROILER

Model No.	Price F.O.B Smithville, TN	Description	Volts ¹	NEMA Plug	Watts	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
VBE30	\$2,984	Capacity: 5-45 lb	208 240	6-30P 6-30P	4500 4500	16.06	25.00	32.00	272	85

1 - Specify 208V or 240V Service when ordering

ROLLER FINISH OPTIONS



STALTEK™ COATING

- Most durable coating in the market
- Star exclusive innovative coating
- Unparalleled grip performance
- Coating rolls uneven product
- Withstands vigorous cleaning




DURATEC COATING

- Non-stick roller coating facilitates cleaning
- Finish designed to grip and turn consistently



CHROME COATING

- Less expensive coating option
- Durable, can take a brisk cleaning
- Shiny and attractive when clean



STALTEK™ COATING
MOST DURABLE IN THE MARKET

CONTROL OPTIONS

ANALOG vs. ELECTRONIC

ANALOG CONTROLS


Analog controls for front and rear temperature zones are durable and economical, but don't allow for fine temperature adjustments

ELECTRONIC PROGRAMMABLE CONTROLS

Electronic controls allow the roller grill to react to grill surface temps, resulting in consistent temperatures and better quality products

Program individual product cook/hold times & temps, taking the guesswork out of preparing menu items

Contact Factory for custom controls



BUN DRAWERS

BUILT-IN vs. STAND ALONE

BUILT-IN BUN DRAWER

Eliminates the need for a separate piece of equipment, but has limited capacity

STAND ALONE BUN DRAWER

May be heated or unheated, depending on the bread and if buns are individually wrapped

Can be stacked beneath a roller grill, which increases height. Can be built-in to cabinets, or drop surfaces

ROLLER GRILLS FEATURE STADIUM SEATING

Stadium seating slanted roller design provide a 3° to 5° slope for the best presentation of your products increasing sales and impulse purchases

Flat roller grills available! Used for double-sided or employee serving, and can be recessed below the counter. Contact factory for details and pricing



STAR HOT DOG EQUIPMENT



STAR GRILL-MAX ROLLER GRILLS



ANALOG Controls					ELECTRONIC Controls				
Series No.	Capacity Hot Dogs	Type: C Chrome	Type: SC Duratec	Type: ST StalTek	Type: SCE Duratec	Type: STE StalTek	Volts ¹	Watts	NEMA Plug
20	20 dogs	\$2,171	\$2,345	–	–	–	120	930	5-15P
30	30 dogs	\$2,264	\$2,528	\$2,786	\$3,189	\$3,446	120 230*	1150 1150	5-15P CEE7/7
45	45 dogs	\$2,806	\$3,321	\$3,834	\$3,982	–	120 120 (CSA)** 230*	1700 (CSA) 1650	5-15P 5-20P (CSA) CEE7/7
50	50 dogs	\$2,604	\$3,011	\$3,413	\$3,671	\$4,074	120 120 (CSA)**	1535 1535 (CSA)	5-15P 5-20P (CSA)
75	75 dogs	\$3,777	\$4,723	\$5,662	\$5,382	\$6,323	120 120 (CSA)** 230*	1730 1730 (CSA) 2016	5-15P 5-20P (CSA) CEE7/7
1 - Add \$124 for 230V Service					All prices F.O.B Smithville, TN				
* 230V Service available for models - 30SCE, 45SC, 45SCE, 75SC					** 120V(CSA) Canadian Service available for models - 45SCE, 50SCE, 50STE, 75SCE				

STAR GRILL-MAX ROLLER GRILLS with BUILT-IN BUN DRAWER



ANALOG Controls					ELECTRONIC Controls				
Series No.	Capacity Hot Dogs	Type: CBD Chrome	Type: SCBD Duratec	Type: STBD StalTek	Type: SCBDE Duratec	Type: STBDE StalTek	Volts ¹	Watts	NEMA Plug
30	30 dogs 32 buns	\$3,052	\$3,317	\$3,574	\$3,977	\$4,235	120	1150	5-15P
45	45 dogs 32 buns	–	\$4,109	\$4,623	\$4,770	\$5,283	120	1650	5-15P
50	50 dogs 48 buns	\$3,392	\$3,799	\$4,202	\$4,459	\$4,862	120 120 (CSA)* 208/240**	1535 (CSA) 1250/1670	5-15P 5-20P (CSA) 6-15P
75	75 dogs 48 buns	–	\$5,511	\$6,450	\$6,170	\$7,111	120 208/240**	1730 1810/2400	5-15P 6-20P
* 120V (CSA) Canadian Service available for models - 50STBD, 50STBDE							All prices F.O.B Smithville, TN		
** 208/240V Service available for models - 50STBD, 50STBDE, 75STBD, 75SCBDE, 75STBD									

STAR HOT DOG EQUIPMENT



75SCBD



50SCBBC
CLEAR BUN DRAWER

STAR GRILL-MAX ROLLER GRILLS with CLEAR BUN DRAWER



Series No.	Capacity Hot Dogs	Type: CBBC Chrome	Type: SCBBC Duratec	Volts ¹	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
30	30 dogs 24 buns	\$3,127	\$3,392	120 230*	1150 1150	5-15P CEE7/7	23.75	20.63	12.50	53	100
50	50 dogs 40 buns	-	\$3,874	120 230*	1535 1535	5-15P BS1363	35.75	20.63	12.50	69	100

1 - Add \$124 for 230V Service * 230V Service available for models - 30CBBC, 30SCBBC, 50SCBBC All prices F.O.B Smithville, TN

ROLLER GRILL SPECIFICATIONS

Series No.	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Ship Wt. [lb.] Bun Drawer	Freight Class
20	17.13	20.63	12.50	44	-	100
30	23.75	20.63	12.50	53	63	100
45	23.75	28.50	12.50	69	80	100
50	35.75	20.63	12.50	69	80	100
75	35.75	28.50	15.50	108	120	100

SERIES NO. & ROLLER GRILL CAPACITY

Series No.	Capacity* Hot Dogs	Description
20	20 hot dogs	Ideal for low-volume locations, small to no product variation and small footprint areas. 11 rollers per grill
30	30 hot dogs	Popular size. 11 rollers per grill
45	45 hot dogs	Great for deeper countertops with limited left-to-right space. 16 rollers per grill
50	50 hot dogs	Most popular size. 11 rollers per grill
75	75 hot dogs	Lots of room for high-volume locations. 16 rollers per grill

* These numbers do not designate exact product capacity. Numbers are a guideline based on standard sized hot dogs

**ROLL
A WIDE RANGE
OF PRODUCTS
ON STAR ROLLER GRILLS**



INDUSTRY INNOVATION LEADERS
UNITED STATES PATENT NUMBERS
6,393,971 | 6,782,802 | 7,520,211
6,659,574 7,367,261 | 7,334,517
6,707,015 and counting!

STAR HOT DOG EQUIPMENT



X30S ROLLER GRILL
& XBW30 DRY BUN WARMER



SST-30
HEATED BUN WARMER



SS30BBC
UNHEATED CLEAR BUN DOOR

STAR GRILL-MAX EXPRESS ROLLER GRILLS with ANALOG CONTROLS



Series No.	Capacity Hot Dogs	Type: Chrome	Type: S Duratec	Volts ¹	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
X30	30 dogs	\$1,516	\$1,685	120	1,150	5-15P	23.75	20.63	10.00	53	100
X50	50 dogs	\$1,781	\$1,971	120 230*	1,535	5-15P CEE7/7	35.75	20.63	10.00	69	100
X75	75 dogs	\$2,528	-	120 230*	1,730 2,210	5-15P CEE7/7	35.75	28.50	10.00	108	100

1 - Add \$124 for 230V Service * 230V Service available for models - X50, X50S, X75

All prices F.O.B Smithville, TN

STAR GRILL-MAX EXPRESS DRY BUN WARMERS



Series No.	Price F.O.B Smithville, TN	Description	Volts	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
XBW30	\$1,306	Series 30 & 45 (Capacity: 72 buns)	120	35	5-15P	23.75	20.63	6.25	44	100
XBW50	\$1,387	Series 50 & 75 (Capacity: 96 buns)	120	50	5-15P	35.75	20.63	6.25	59	100

STAR GRILL-MAX HEATED BUN WARMER



Model No.	Price F.O.B Smithville, TN	Description	Watts ¹ 120V	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
SST-20	\$1,681	Series 20 (Capacity: 32 buns)	300	17.20	20.60	9.25	41	100
SST-30	\$2,048	Series 30 & 45 (Capacity: 48 buns)	450	23.75	20.60	9.25	54	100
SST-50A	\$2,517	Series 50 & 75 (Capacity: 64 buns)	600	35.75	20.60	9.25	75	100
SST-75	\$3,048	Series 75 (Capacity: 96 buns)	600	35.75	22.80	10.40	77	100

2 - NEMA 5-15P plug standard for 120V applications

STAR GRILL-MAX UNHEATED BUN BOX



Series No.	Type: SSxxBB Stainless Steel	Type: SSxxBBC Clear Door	Description	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
30	-	\$694	Series 30 & 45 (Capacity: 48 buns)	23.25	20.60	6.90	39	100
50	\$1,132	\$759	Series 50 & 75 (Capacity: 64 buns)	35.75	20.60	6.90	49	100

STAR HOT DOG EQUIPMENT

STAR SNEEZE GUARDS



SIGN HOLDER 50SH
GLASS CANOPY SNEEZE GUARD 50SG-G



Series No.	Type: SG-1D Single Door	Type: SG-2D Double Door	Type: SGS Shield ¹	Ship Wt. [lb.]	Type: SG-G Glass Canopy	Type: SH Sign Holder ²	Ship Wt. [lb.]	Freight Class
20	\$465	-	-	7	-	-	-	100
30	\$509	\$528	\$121	9	\$722	-	32	100
45	\$592	-		13	\$890			100
50	\$637	\$685	\$182	17	\$925	\$193	45	100
75	\$800	\$870		18	\$1,227			100

1 - Optional shield to convert sneeze guard doors into a pass-thru sneeze guard
2 - Optional sign holder for Glass Canopy sneeze guards

All prices F.O.B Smithville, TN

GLASS SNEEZE GUARDS
Open concept is modern looking and easy to clean

PLEXI-GLASS SNEEZE GUARDS
Enclosed design keeps 10-15°F higher temps

MERCHANDISING DOORS & MISC. ROLLER GRILL ACCESSORIES

Model No.	Price F.O.B Smithville, TN	Description	Ship Wt. [lb.]	Freight Class
MERCHANDISING DOORS				
20RGMD	\$168	Series 20 doors	5	100
30RGMD	\$186	Series 30 & 45 doors	5	100
50RGMD	\$215	Series 50 & 75 doors	7	100
OTHER ACCESSORIES				
RGLK	\$83	4" Adjustable Legs	2	100
THU	\$116	Tong Holder	1	100

DIVIDER KITS

Model No.	Price F.O.B Smithville, TN	Description	Ship Wt. [lb.]	Freight Class
30RGDKC	\$280	Series 30	2	100
45RGDKC	\$385	Series 45	4	100
50RGDKC	\$299	Series 50	6	100
75RGDKC	\$412	Series 75	8	100

STAR CRADLE BROIL-O-DOG with BUN WARMING COMPARTMENT



174CBA



Model No.	Price F.O.B Smithville, TN	Capacity	Watts ¹ 120V	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
174CBA	\$2,254	18 hot dogs, 12 buns	1,150	13.50	14.50	24.00	56	100
175CBA	\$2,541	36 hot dogs, 32 buns	1,535	19.50	14.50	24.00	71	100

1 - NEMA 5-15P plug standard for 120V applications



STAR HOT DOG STEAMER with JUICE TRAY



35SSA



Model No.	Price F.O.B Smithville, TN	Capacity	Watts ¹ 120V	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
35SSA	\$1,267	170 dogs, 18 buns (w/Juice Tray)	800	14.75	16.50	15.60	30	100
35SSC	\$1,188	130 dogs, 30-40 buns	1,000	18.00	15.00	15.60	27	100
70SSA	\$1,980	230 dogs, 36 buns (w/Juice Tray)	1,000	18.75	16.50	15.60	38	100

1 - NEMA 5-15P plug standard for 120V applications



STAR WAFFLE MAKERS



STAR WAFFLE MAKERS TRADITIONAL & BELGIAN STYLE



Model No.	Price F.O.B Smithville, TN	Description	Volts ¹	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height ² [in.]	Ship Wt. [lb.]	Freight Class
SWBB	\$3,365	7" DIAMETER BELGIAN WAFFLE SINGLE	120 208/240 230*	900 675/900 900	5-15P 6-15P CEE7/7	10.19	14.00	10.56	30.2	85
SWBS	\$1,572	7" DIAMETER TRADITIONAL WAFFLE SINGLE	120 208/240	900 675/900	5-15P 6-15P	10.13	13.50	8.75	15	85
SWBD	\$2,627	7" DIAMETER TRADITIONAL WAFFLE DOUBLE	120 208/240	1800 1350/1800	5-15P 6-15P	19.81	13.50	8.75	28	85
1 - Add \$68 for 230V Service. * 230V Service available for model - SWBB			2 - Height measurement information for closed waffle maker							

STAR POPCORN EQUIPMENT



39-A



86S

STAR JETSTAR POPCORN POPPERS



Model No.	Price F.O.B Smithville, TN	Capacity [oz.]	Description	Volts ¹	NEMA Plug	Watts	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
39-A	\$1,762	6	YELLOW (135) 1oz. Servings	120	5-15P	1,197	19.50	14.25	25.20	57	100
39S-A	\$1,762	6	STAINLESS STEEL (135) 1oz. Servings	120 230*	5-15P CEE7/7	1,130	19.50	14.25	25.20	57	100
86S	\$1,959	8	SUPER STAINLESS STEEL (170) 1oz. Servings	120 230*	5-15P CEE7/7	1,197	19.50	14.25	30.50	59	100

1 - Add \$167 for 230V Service * 230V Service available for models - 39S-A, 86S



G12-Y

STAR GALAXY POPCORN POPPERS



Model No.	Price F.O.B Smithville, TN	Capacity [oz.]	Description	Volts ¹	NEMA Plug	Watts	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
G12-Y	\$3,845	12	(240) 1oz. Servings	120	5-20P	2,136	21.20	21.20	35.50	102	100
G18-Y	\$5,265	18	(360) 1oz. Servings	240 230*	6-15P CEE7/7	2,816	28.20	24.20	35.50	125	100

1 - Add \$167 for 230V Service * 230V Service available for model - G18-Y

2 - G14 units require 30 amp service for 120V

CHIEF'S CHOICE POPCORN

Model No.	Price F.O.B Smithville, TN	Description	Ship Wt. [lb.]	Freight Class
CC36-4OZ	\$64	QTY 36 (4 oz. PACKS)	13	100
CC28-6OZ	\$70	QTY 28 (6 oz. PACKS)	15	100
CC24-8OZ	\$68	QTY 24 (8 oz. PACKS)	18	100



STAR PUMPS & WARMERS



3WLA-W



4RW-P



LLWLA

STAR WARMING EQUIPMENT



Model No.	Price F.O.B Smithville, TN	Description	Volts ¹	NEMA Plug	Watts	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
4RW	\$462	(4 quart) ROUND WARMER	120	5-15P	600	8.50	8.50	10.00	11	100
4RW-P	\$794	(4 quart) ROUND WARMER w/ PUMP	120	5-15P	600	8.50	8.50	16.50	11	100
4RW-4H	\$674	4 quart ROUND WARMER w /HINGED LID	120	5-15P	600	8.50	8.50	10.00	11	100
4RW-L	\$714	(4 quart) ROUND WARMER w/ 1 oz. LADLE	120	5-15P	600	8.50	8.50	13.75	11	100
3WSA-HS	\$1,072	(3.5 quart) STAINLESS WARMER w/ PUMP & HEATED SPOUT	120 230*	5-15P CEE 7/7	515	9.00	15.50	15.50	15	100
3WLA-HS	\$1,046	(3.5 quart) LIGHTED WARMER w/ PUMP & HEATED SPOUT	120 230*	5-15P CEE 7/7	545	9.00	15.50	15.50	15	100
3WLA-P	\$979	(3.5 quart) LIGHTED WARMER w/ PUMP	120 230	5-15P CEE 7/7	530	9.00	15.50	15.50	15	100
3WLA-W	\$886	(3.5 quart) LIGHTED WARMER w/ 1 oz. LADLE	120	5-15P	530	9.00	15.50	9.50	15	100
3WLA-4H	\$782	(3.5 quart) LIGHTED WARMER w/ HINGED LID & 1 oz. LADLE	120	5-15P	545	9.00	15.50	12.50	15	100
3WLA-B	\$1,020	(3.5 quart) LIGHTED WARMER w/ BUTTER PUMP	120	5-15P	530	9.00	15.50	15.50	15	100
11WLA	\$979	(11 quart) LIGHTED WARMER	120	5-15P	1600	13.25	15.20	11.50	29	100
11WLA-P	\$1,320	(11 quart) LIGHTED WARMER w /PUMP	120	5-15P	1600	13.25	15.20	18.75	29	100
11WLA-HS	\$1,681	(11 quart) LIGHTED WARMER w/ PUMP & HEATED SPOUT	120	5-15P	1600	13.25	15.20	18.75	29	100

1 - Add \$56 for 230V Service * 230V Service available for models - 3WSA-HS, 3WLA-P



STAR PUMPS & WARMERS



HPDE2H



HPDE1H



STAR HEATED PERISTALTIC DISPENSERS



Model No.	Price F.O.B Smithville, TN	Description	Volts ¹	NEMA Plug	Watts	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
HPDE2	\$2,572	DOUBLE DISPENSER 75RPM, 1 oz/3 sec	120	5-15P	1,000	14.30	20.60	26.80	61	100
HPDE2H	\$2,572	DOUBLE DISPENSER HIGH PERFORMANCE 180RPM, 1oz/sec	120 230*	5-15P CEE 7/7	1,000	14.30	20.60	26.80	61	100
HPDE2HP	\$2,828	DOUBLE DISPENSER HIGH PERFORMANCE 180RPM, 1oz/sec PORTION CONTROL	120	5-15P	1,000	14.30	20.60	26.80	61	100
HPDE1H	\$1,939	SINGLE DISPENSER HIGH PERFORMANCE 180RPM, 1oz/sec	120 230*	5-15P CEE 7/7	820	9.60	20.60	26.80	48	100
HPDE1HP	\$2,166	SINGLE DISPENSER HIGH PERFORMANCE 180RPM, 1oz/sec PORTION CONTROL	120 230*	5-15P CEE 7/7	820	9.60	20.60	26.80	48	100

1 - Add \$180 for 230V Service. * 230V Service available on models - HPDE2H, HPDE1H, HPDE1HP

Accessories

Model No.	Price F.O.B Smithville, TN	Description	Ship Wt. [lb.]	Freight Class
3SP	\$308	PUMP, (3.5 quart) WARMERS - great for FUDGE, NACHO CHEESE, CHILI SAUCE	4	100
11SP	\$370	PUMP, 11qt WARMERS	4	100
SSB	\$85	STAINLESS STEEL BOWL, 3.5qt WARMERS	2	100
SSB-4	\$135	STAINLESS STEEL BOWL, NOTCHED COVER	2	100
SSB-4H	\$203	STAINLESS STEEL BOWL, HINGED LID	2	100
SSBL	\$124	STAINLESS STEEL BOWL, 11qt. WARMERS	2	100

STAR MERCHANDISERS & DISPLAYS



18MCP



16PD-A



15MC



STAR DISPLAY MERCHANDISERS

Model No.	Price F.O.B. Smithville, TN	Description	CAPACITY	Watts ¹ 120V or 230V*	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
15MC	\$1,762	15" MERCHANDISER	(27) COOKIES (21) BURRITOS	650	15.40	16.50	24.90	43	100
18MCP	\$1,834	18" MERCHANDISER	(2) 16" PIZZAS	250	18.90	20.00	24.90	51	100
16PD-A	\$1,612	PRETZEL DISPLAY MERCHANDISER	(36) PRETZELS	225	15.00	15.00	27.00	37	100
12NCPW	\$1,057	12" NACHO CHIP & POPCORN WARMER	CAPACITY: 7 lb	125	12.00	15.00	23.00	27	100
15NCPW	\$1,151	15" NACHO CHIP & POPCORN WARMER	CAPACITY: 10 lb	155	15.00	15.00	26.00	33	100

1 - NEMA 5-15P plug standard for 120V applications, NEMA CEE7/7 plug for 230V applications

* Add \$56 for 230V Service



HFD-1-P
PRETZEL RACK



HFD-1-CR
CIRCULAR PIZZA RACK



STAR HOT FOOD DISPLAY CASES

Series No.	Price F.O.B. Smithville, TN	Description	Capacity	Volts ¹	Watts ¹ 120V	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]
HFD-1	\$3,072	UNIVERSAL SHELVES	16 SANDWICHES	120	1,280	15.00	15.00	28.25	63
HFD-1-P	\$3,072	PRETZEL RACK	48 LARGE PRETZELS	120	1,280	15.00	15.00	28.25	63
HFD-1-CR	\$3,072	CIRCULAR PIZZA RACK	(3) 12" PIZZAS	120	1,280	15.00	15.00	28.25	63
HFD-2A	\$4,442	UNIVERSAL SHELVES	36 SANDWICHES	120 230*	1,550	21.13	22.75	34.00	138
HFD-2APT	\$4,882	UNIVERSAL SHELVES w/ PASS-THRU DOORS	36 SANDWICHES	120	1,550	21.13	22.75	34.00	138
HFD-3A	\$5,365	UNIVERSAL SHELVES	64 SANDWICHES	\$120	1,800	28.25	25.75	37.25	162

1 - NEMA 5-15P plug standard for HFD1 & HFD2, NEMA 5-20P for HFD3, NEMA CEE7/7 plug for 230V applications

* - 230V option available for the HFD-2A model only. Add \$56 for 230V Service.

Freight Class: 100

STAR REFRIGERATED SERVER



NSF HOLDS FOOD AT NSF-7 SAFE 35°F



Electronic temperature control with digital readout

Self-contained refrigeration system

Energy efficient at 240 Watts @ 2 AMPS

Foamed-in-place insulation for energy efficiency

Includes (4) 1/6 size pans w/ hinged lid

Accommodates fractional sized pans from 1/9th - 2/3rd size.

Approved for pans 2"- 6" deep in any combination

Pans are easily removable for cleaning

Stainless Steel interior and exterior

REFRIGERATED COUNTERTOP SERVER

RCR-4

Refrigerated Countertop Server

STAR SELF-CONTAINED REFRIGERATED COUNTERTOP SERVER



Model No.	Price F.O.B Smithville, TN	Description	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
RCR-4	\$2,608	(4) 1/6-pan capacity (2) 1/3 pan capacity	240	5-15P	15.13	25.88	10.5	70	85

Meets NSF-7 Food Safe Requirements at 35°F. R-134A Refrigerant, 1/16-HP compressor @ 300 BTUH



Star Holdings Group (Star, Lang, Wells, Toastmaster & MagiKitch'n)

Minimum Advertised Price & Minimum Resale Internet Cart

MINIMUM ADVERTISED PRICE (MAP) POLICY

The Star Holdings Group (Star Holdings) is committed to supporting our Authorized Dealers (resellers selling Star Holdings products in or into the United States & Canada) by continuing to provide high-quality, premium products for the foodservice industry while maintaining its brand equity and integrity. This MAP Policy applies to ANY and ALL means of Advertised Pricing for all Brands within the Star Holdings Group. Advertising at a price below MAP will be considered a violation of this Policy. This MAP Policy will apply to any activity which Star Holdings determines, in its sole and absolute discretion, is designed or intended to circumvent the intent of this MAP Policy.

- MAP Policy – MAP Policy pricing is the Current List Price less 45%. At a minimum, MAP must be rounded-up to the nearest whole number. Products in our Cornerstone program has specific MAP pricing – see current Cornerstone program for pricing.
- If a Dealer offers or combines (e.g. “bundling”) one or more products from a single or multiple Star Holdings brands in an advertisement, the aggregate price for all Star Holdings products offered for sale in combination may not be lower than the cumulative MAP for each of the products when sold separately.
- At the Dealer’s sole expense, the Dealer may offer or combine free accessories with products (i.e. casters, warranty, freight).

The MAP Policy applies to any advertisements of Star Holdings products and designs in any and all media, including but not limited to, print advertising (e.g. magazines, catalogs, newspapers, posters, flyers and direct mail), e-mail and facsimile advertising (e.g. broadcast campaigns, flyers, coupons and similar inserts), internet or similar electronic media (e.g. Amazon, eBay, Google), Dealer websites, internet banner ads, social media blasts, search engine advertising and all other types of digital signage.

All internet advertised prices must show the product's "MAP" price or higher. Any communications stating or implying that a price below MAP may be found elsewhere on the site, that is initiated by the Dealer, would constitute advertising and would be deemed a violation of this MAP Policy. Dealers may not make any statements, displays, or communications that indicate, state, imply, or suggest that a lower price may be found at the online check out, including but not limited to: "Call for Pricing", "Chat for Pricing", "Text for Pricing", "Click for Pricing", "Email for Pricing", "Add to Cart for Pricing", "Mouse Over for Pricing", "Log In for Pricing", strike-through the price, or any of the like. This includes "shopping cart price", "chat box price" and "emailed price" that appear on the internet in any format on any Dealer's public internet website or public internet-based account, including internet search engine shopping feeds, are all subject to the Star Holdings Group MAP Policy. Website features such as automated “bounce-back” pricing emails, pre-formatted email responses, forms, automatic price display, loyalty and reward point systems and other similar features are considered “advertising” under this MAP Policy. Under this MAP Policy, Star Holdings prohibits the use of split-screen, side-by-side advertising, or pop-ups to advertise a similar product of any other brand. Star Holdings prohibits any Dealer from redirecting (automatically, inadvertently or otherwise) a Star Holdings customer who is in search of a Star Holdings product or item number to any other brand.

No Dealer may advertise a Star Holdings product at a price in violation of this MAP Policy on any third-party platform such as Amazon, eBay, Google or any like platforms in which it may operate as a vendor or have a re-distributor operate on its behalf. No Dealer may advertise a price in violation of this MAP Policy in an effort to match or beat a competitor’s price.

From time to time, Star Holdings may discontinue certain products or engage in promotions with respect to certain products. In such events, Star Holdings reserves the right to modify or suspend the MAP Policy with respect to the affected products at its sole discretion. Such changes shall apply equally to all Star Holdings Dealers.

MINIMUM RESALE INTERNET CART PRICE (M.R.I.C.P.) POLICY

The Minimum Resale Internet Cart Price (MRICP) applies to the final internet check out prices (e.g. shopping cart prices, chat box prices, emailed prices, and prices on the internet website or search engines) of all Star Holdings products. Star Holdings requires that when Dealers sell select products (listed below) through internet sales that these products are subject to MRICP and are sold at a price no more than a 52% discount rounded down to the whole number off the current List Price.

This Policy does not affect or restrict the final sales price that is communicated at a Dealer's place of business, including contract negotiations, or negotiations in the field. This MRICP Policy will apply to any activity which Star Holdings determines, in its sole and absolute discretion, is designed or intended to circumvent the intent of this MRICP Policy.

The M.R.I.C.P. policy applies to the following Brands and Brand product segments:

Brands in their Entirety
Lang
MagiKitch’n

Star Categories
Ultramax (800-Series Products)

ProMax Panini’s
(PST, PGT, PSC, PGC-Series Products)

Wells Categories
Ventless Hoods

Dry Wells (MDW models)
Cold Wells



TRADEMARKS AND CORPORATE LOGO (ALL REGISTERED INFORMATION)

The Companies grant the Authorized Dealer limited permission to use the brands, trademarks, tradenames, corporate logos, product images and product content in a positive manner. Dealers may use the Star Holdings Group brand logos to designate the source of Products or to describe the Dealer's relationship with the Brand(s) in a positive manner. Dealer's use of the Star Holdings Group's brands, trademarks and corporate logos must comply with the usage guidelines. Dealers may not register, purchase, directly or indirectly use or control the Star Holdings Group domain names (including all levels of domain names and sub-domain names anywhere in the computer address) containing the Brand(s) trade names, logos, trademarks, or anything similar ("Infringing Domains"). Any misuse or redirection will be prosecuted. We reserve the right to restrict or prosecute misused or misleading use of owned brands, trademarks or trade names.

POLICY VIOLATIONS

These Policies will be strictly and uniformly enforced. As these MAP and MRICP Policies are being unilaterally adopted by Star Holdings, no assurance of compliance will be needed from any dealer or reseller.

Star Holdings, or its agent(s), will monitor the dealer network to ensure compliance with the MAP and MRICP Policies. Failure to cooperate by any Dealer with Star Holdings' investigation of MAP and MRICP Policy violations will be considered an additional violation of the MAP and MRICP Policies.

Failure to meet the terms and conditions of the MAP and MRICP Policies will result in full, unconditional enforcement of the penalties described below. The event of a violation will be determined solely by Star Holdings.

Dealer will be subject to penalties (over a 12-month period) up to and including but not limited to:

- **1st violation:** Star Holdings at a minimum will issue an email communication to the non-compliant dealer requesting their compliance to the MAP and MRICP Policies. Failure to comply within 48 hours (2 business days) will be considered a 2nd violation.
- **2nd violation:** Star Holdings at a minimum will issue an email notification to the non-compliant dealer requesting their compliance to the MAP and MRICP Policies and will hold all shipments until all violations are resolved. Failure to comply within 48 hours (2 business days) will be considered a 3rd violation.
- **3rd violation:** Star Holdings at a minimum will issue an email notification to the non-compliant dealer requesting their compliance to the MAP and MRICP Policies and will result in (a) dealer's net pricing being increased to a price that is 50% off of Star Holdings' then current published List Price and (b) any available rebates, marketing incentives, or programs (accrued or due in total) will be forfeited. Failure to comply within 48 hours (2 business days) will be considered a 4th and final violation. Reinstatement of preferred pricing and applicable incentives or rebates may be re-evaluated by Star Holdings in its sole discretion after 30 days.
- **4th and final violation:** Star Holdings at a minimum will issue an email notification to the non-compliant dealer informing them of the a) indefinite suspension of their account and b) permission to use Group brand trademarks, trade names, corporate logos, product images and product content will be indefinitely revoked.

DEALER ACCOUNTABILITY

In the case of a MAP or MRICP violation by a reseller who does not have an authorized relationship with Star Holdings and instead purchases Star Holdings products from an authorized Dealer or any other reseller (i.e., dealer-to-dealer sale), Star Holdings will pursue enforcement actions against the authorized Dealer as provided above in these Policies.

OTHER PROVISIONS

These Policies are managed by the MAP/MRICP Policy Administrator for Star Holdings. Only the MAP/MRICP Policy Administrator and Group Vice President of Sales and Marketing may provide direction to Dealers concerning compliance with the MAP and MRICP Policies. And ONLY the Group Vice President of Sales and Marketing may authorize exceptions to the Policies. No other individuals, including any employee or representative of Star Holdings, may provide such direction or authorizations regarding these Policies to any Dealer. It is the Dealer's sole responsibility to remain aware of any changes to the Star Holdings MAP and MRICP Policies.

The terms of the MAP and MRICP Policies are confidential and are not to be disclosed to other parties. Star Holdings has adopted the MAP and MRICP Policies unilaterally in furtherance of its independent business strategy and reserves, at its sole discretion, the right to change the Policies and to interpret, enforce and otherwise handle all questions and issues related to the Policies.

LIMITED EQUIPMENT WARRANTY

Star Manufacturing [as well as its subsidiaries, Toastmaster and Holman] warrants to the original purchaser of new Star products to be free from defects in material or workmanship, under normal and proper use and maintenance service as specified by Star and upon proper installation and start-up in accordance with the instructions supplied with each Star unit. Star’s obligation under this warranty is limited to a period of one [1] year from the date of original installation, or eighteen [18] months from original purchase date, whichever occurs first. Defects that occur as a result of normal use, within the time period and limitations defined in this warranty, will at Star’s discretion have the parts replaced or repaired by Star or a Star-authorized service agency.

THIS WARRANTY IS SUBJECT TO ALL LISTED CONDITIONS

Repairs performed under this warranty are to be performed by a Star authorized service agency. Star will not be responsible for charges incurred or service performed by non-authorized repair agencies. In all cases, the nearest Star-authorized service agency must be used. Star will be responsible for normal labor charges incurred in the repair or replacement of a warranted product within 50 miles (80.5 km) of an authorized service agency. Time and expense charges for anything beyond that distance will be the responsibility of the owner. All labor will need to be performed during regular service hours. Any overtime premium will be charged to the owner. For all shipments outside the U.S.A. and Canada, please see the International Warranty for specific details. It is the responsibility of the owner to inspect and report any shipping damage claims, hidden or otherwise, promptly following delivery. No mileage or travel charges will be honored on any equipment that is deemed portable. In general, equipment with a cord and plug weighing less than 50 lb. (22.7 kg) is considered portable and should be taken or shipped to the closest authorized service agency, transportation prepaid.

PORTABLE EQUIPMENT EXAMPLES

- 514LL fryer
- J4R popcorn machine
- 15MC and 18MCP hot food merchandisers
- 12NCPW and 15NCPW nacho merchandisers
- QCS1, QCS2, and RCS2 toasters
- Nacho cheese warmers except 11WLA-series models
- 16PD-A pretzel merchandisers
- Condiment dispensers except HPD- and SPD-series models
- Specialty food warmers except 130R, 11RW, and 11WSA models
- All pop-up toasters
- All butter dispensers
- All pastry display cabinets
- All nacho chip merchandisers
- All heat lamps
- All accessories

CONTACT

Should you require any assistance regarding the operation or maintenance of a Star Manufacturing; phone, email or fax our service department. In all correspondence provide the model number and serial number of the unit needing service; include the voltage or gas type.

Normal Business Hours: 8:00 a.m. to 4:30 p.m. Central

Telephone: 800-264-7827 Tech Service Option 2

Email: TechService@partstown.com

www.Star-Mfg.com

WARRANTY EXCLUSIONS

THE FOLLOWING WILL NOT BE COVERED UNDER WARRANTY.

Star’s sole obligation under this warranty is limited to either repair or replacement parts, subject to the additional limitations detailed below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

- Any product which has not been used, maintained, or installed in accordance with the directions published in the appropriate installation sheet and/or owner’s manual, including incorrect gas or electrical connection. Star is not liable for any unit which has been mishandled, abused, misapplied, subjected to harsh chemicals, modified by unauthorized personnel, damaged by flood, fire, or other acts of nature [or God], or which have an altered or missing serial number.
- Installation, labor, and job checkouts, calibration of heat controls, air and gas burner/bypass/pilot adjustments, gas or electrical system checks, voltage and phase conversions, cleaning of equipment, or seasoning of griddle surface.
- Replacement of fuses or resetting of circuit breakers, safety controls, or reset buttons.
- Replacement of broken or damaged glass components, quartz heating elements, and light bulbs.
- Labor charges for all removable and consumable parts in gas charbroilers and hotplates, including but not limited to burners, grates, and radiants.
- Any labor charges incurred by delays, waiting time, or operating restrictions that hinder a service technician’s ability to perform service.
- Replacement of parts that fail or are damaged due to normal wear or labor for replacement of parts that can be replaced during a daily cleaning routine, such as but not limited to silicone belts, PTFE non-stick sheets, control labels, knobs, bulbs, fuses, quartz heating elements, baskets, racks, and grease drawers.
- Any economic loss of business or profits.
- Non-OEM parts. Use of non-OEM parts without Star’s approval will void the warranty.
- Units exceeding one [1] year from original installation date, or more than

PRODUCTS	PARTS	LABOR
Star Ultra Max ® fryers, griddles, charbroilers and hotplates	2 years	2 years
Star Max ® fryers, griddles, charbroilers and hotplates	2 years	2 years
Jetstar ® popcorn poppers	2 years	2 years
Staltek™ roller grill coatings	5 years	
Cast iron grates, burners and burner shields	1 year	
Original Star, Toastmaster or Holman parts sold to repair equipment	90 days	
Service First	1 year	

ADDITIONAL WARRANTIES

- Specific/chain-specific equipment may have additional and/or extended warranties.

The foregoing warranty is in lieu of any and all other warranties expressed or implied and constitutes the entire warranty.

FOR AUTHORIZED DEALERS - TERMS are net 30, with approved credit. Products are shipped FOB Smithville, Tennessee.

RETURNS - Return Material Authorization (RMA) requests must be submitted within 30 days from date of invoice. Prior authorization must be received in order to return merchandise. Approved returned goods must be returned prepaid. In all cases, Star Brands will refuse any returned goods that do not have prior Star Brands approval and therefore, do not bear a Star Brands Return Material Authorization (RMA) number. Goods must be returned either in the original Star Brands unopened box or returned unused and repacked in the original Star Brands box using original Star Brands packing materials. Credit will be issued for returned product less restock. Returns are subject to a 35% restocking charge. All authorized returns will be paid by credit memo. Refurbishing, if necessary, will be an additional charge and will be deducted from any credit that may be allowed. Items not stocked, specially configured or built to order do not qualify for return. Any specials that are authorized for return, may be subject for a fee beyond the standard restocking fee. Returns must be received at the assigned return address within thirty (30) days from authorization date. Goods returned after this period may be refused. Star-Holman-Toastmaster reserves the right to refuse or charge a 45% restocking fee on equipment returned without prior authorization.

TITLE passes to the consignee when merchandise is accepted by the carrier, and thereafter travels at the risk of the purchaser. FOB Factory.

SUBSTITUTIONS in material or design will be made as needed, and may be done without notification when necessary.

PLEASE SPECIFY (a) finish, (b) type of gas, (c) BTU content, (d) altitude (where applicable), or (e) voltage, (f) phase and (g) cycle when ordering.

PRICES Please contact the factory or one of its export agents for quotations on merchandise to be shipped into other areas. All prices are in U.S. dollars. All prices are subject to change without prior notice.

START UP This is the initial uncrating and set up of the equipment which is not covered under the Star warranty. This will include piping, electrical and gas connections. This also includes the first "turn on and check" of any gas or electric equipment.



To learn more about our wide array of Commercial Kitchen Equipment, or for a complete listing of Sales Representative & Service Agencies, visit us at

Star-Mfg.com

Star
265 Hobson Street
Smithville, Tennessee 37166

CUSTOMER SERVICE
phone: 800-264-7827 option 1
email: orders@star-mfg.com

TECHNICAL SERVICE
phone: 800-264-7827 option 2
email: techservice@partstown.com



Griddles • Charbroilers • Hot Plates

Panini/Sandwich Grills • Fryers

Contact & Conveyor Toasters • Pop-Up Toasters

Countertop Convection Ovens • Conveyor Ovens

Tortilla Warmers • Drawer Warmers

Proofers • Vertical Broilers

Roller Grills • Hot Dog Equipment

Waffle Makers • Popcorn Equipment

Pumps • Warmers • Merchandisers • Displays

Refrigerated Countertop Server

STAR

265 Hobson St. | Smithville, TN 37166
star-mfg.com 800.264.7827

customer service: orders@star-mfg.com
technical service: techservice@partstown.com